

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.09

___rated 1884



U.S. Department of Agriculture, Catalogues and Price-List

No. 3

Fruit and Ornamental Trees Evergreens, Palms Roses, Etc.

CALIFORNIA NURSERY COMPANY



Five Hundred Acres 1902-1903

Niles, California

LOCATION, One-Half Mile West of Niles
Telephone Connection from Niles to Office

TO CORRESPONDENTS

- 1st. All orders should be sent in as early as possible.
- 2d. Orders should be legibly written out on a separate sheet and not mixed up in the body of the letter, thereby saving us a great deal of trouble, and tending to prevent mistakes.
- 3d. The articles in the following list will be furnished at the annexed prices only when the quantity specified shall be taken. FIFTY, however, will be furnished at the HUNDRED rate, and FIVE at the TEN rate. In no case does this mean so many trees of assorted classes, but refers only to one class of assorted varieties, for instance, 5 Apples, or 5 Pears, or 5 Plums, of different varieties, but not 2 Apples, 2 Pears, and 1 Plum.
- 4th. Where particular varieties are ordered, and particular ages and sizes of trees, kind of stock, etc., it should be stated whether, and to what extent, substitution will be allowed in case the order can not be filled to the letter. Where no instructions in this respect accompany the order, we shall feel at liberty to substitute other varieties as nearly similar as possible. If the selection of varieties is left *entirely* to us, we shall endeavor to send only such sorts as are acknowledged to give general satisfaction.
- 5th. All trees and plants are carefully labeled, and securely packed in the best manner, for which a moderate charge, sufficient to cover cost of material only, will be made; but no charge is made for the delivery of packages at the railroad or express offices at Niles.
- 6th. It is requested that explicit directions for marking and shipping packages accompany each order. When it is left for us to choose the mode of conveyance, we will exercise our best judgment; but as all articles are at the risk of the purchaser after being shipped, we must not be held responsible for any loss or delay that may occur through the negligence of the forwarders.
- 7th. Our customers are requested to notify us immediately of any errors that may be committed in filling their orders, so that we may at once rectify the same, as we desire to conduct our business in all respects satisfactorily to those who favor us with their confidence.
- 8th. Orders from unknown correspondents *must* be accompanied by the cash, or satisfactory reference. Orders to be sent C. O. D. *must* be accompanied by at least one-half the amount in cash; otherwise, they will receive no attention.
- 9th. Remittances may be made by draft on San Francisco, Wells, Fargo & Company's and post-office money orders on Niles, or cash by express, prepaid.
- 10th. Orders priced at single rates, and not exceeding four pounds in weight, can be forwarded by mail, postage paid; but when possible we recommend having them sent by express, as we are then able to send much stronger and better plants.

All communications to be addressed to

CALIFORNIA NURSERY COMPANY, NILES, CALIFORNIA.

REMARKS

We have pleasure in submitting herewith our price-list for the coming season (eighteenth edition). It is our aim and intention, as hitherto, to supply only the best stock at the lowest prices, and the stock in hand for the new season is larger and more varied than ever before. We invite all to visit the Nursery, which is the largest, by far, of any on the Pacific Coast, whether as intending purchasers, or otherwise. If parties will notify us of the time of their arrival at Niles, we will have conveyance at station to meet them.

To reach our Nursery from San Francisco, take the broad-gauge ferry-boat for Oakland, leaving at 8:00, 8:30 A. M., and 12 M., and 3:30, 4:00, 4:30, 5:30, and 6:00 P. M. These make close connections with through trains direct to Niles. From Sacramento and all points centering there, the train leaving at 10:15 A. M. for San Francisco, via Lathrop, Tracy, Livermore, etc., should be taken. From San Jose and its southern connections, trains leaving at 5:15, 6:15, 8:40, and 9:30 A. M., and 12:35 and 4:35 P. M.

CALIFORNIA NURSERY COMPANY.

Niles, December 1, 1902.

OFFICERS:

WILLIAM J. LANDERS, President, JOHN H. HENN, Secretary,

t, H. W. MEEK, Vice-President,
CENTRAL BANK, Oakland, Treasurer,
IOHN ROCK, Manager.

DIRECTORS:

WM. J. LANDERS, San Francisco, HORRY W. MEEK, San Lorenzo, EGBERT B. STONE, Elmhurst,

W. G. PALMANTEER, Oakland,
A. C. HAMMOND, JR., San Francisco,
JOHN H. HENN, San Francisco,
F. W. HOSMER, San Francisco.

40

SPECIAL NOTICE

Those only who can show a certificate of recent date, with our signature and the seal of the company attached, are authorized to solicit orders for us. We wish to call special attention to this notice, as we know it has heretofore been the practice of unprincipled persons to procure the catalogues of prominent nurseries and take orders in their names, which they fill with poor stock bought elsewhere. If our patrons will notify us of any person whom they have reason to believe is not a regularly appointed agent, we shall consider it a favor.

HINTS ON TRANSPLANTING

The many excellent treatises on Fruit Culture which have appeared within the past few years—one or more of which should be in the hands of every person intending to plant—render it almost unnecessary to give any directions in that line; yet we are so frequently asked for advice in this way, that we have concluded

to offer a few general remarks.

The situation of the orchard having been decided on, the ground should be deeply plowed, subsoiled and thoroughly pulverized. The holes should be dug at least a foot larger in every direction than actually required by the roots when spread out in their natural position. In planting, the top soil should be broken down into the hole, and worked carefully in between every root and fiber, filling up every crevice, that every root may be in contact with soil, and the whole made quite firm as the filling up progresses. The tree, when planted, may in light soils stand from two to three inches deeper than it stood in the nursery; but in heavy clay or wet ground it is advisable to have it stand at the same height as it was before transplanting.

On account of our long, hot, dry summers, it is well to shade the sunny side of the tree, to keep borers out, with a board or shake, stuck in the ground, or a piece of burlap wound loose around the tree up to the limbs, top tied loose with a string. Whitewash made out of whiting or lime will also protect the tree

against sunscald.

against sunscand.

The following works, by California authors of wide experience, and written with Pacific Coast conditions particularly in view, will be found very useful to all Horticulturists:—

"California Fruits, and How to Grow Them," by Prof. E. G. Wickson, \$2.50.

"The Raisin Industry," by Prof. Gustav Eisen, \$3.00.

"Grape Culture and Wine Making," by George Husman, \$2.00.

For the convenience of our customers we have arranged to furnish them at the above publishers'

DISTANCES FOR PLANTING

Standard Apples	feet apart ea	ach way
Standard Pears 20 to 24		44
Strong-growing Cherries 20 to 24	1.6	61
Duke and Morello Cherries	41	11
Standard Plums and Prunes	46	66
Peaches and Nectarines	66	6.6
Apricots	66	46
Grapes	3.5	66
Currants and Gooseberries	4 1	ov 6 feet
Raspberries and Blackberries	3 to 4 by 5	to 7 "
Strawberries for field culture	to 11/2 by 4	to 5 "
Strawberries for garden culture	I to 2 fe	et apart

Number of Trees or Plants on an Acre at Given Distances Apart

						SQUARE METHOD.	EQUILATERAL TRIANGLE M'TH'D
Distanc	e. I f	oot anart	each way n	umber plan	nts	43,560	50,300
1.6		eet apart	16	iii		10,890	12,575
66	3	41	44	6.6		4,840	5,889
64		4.6	1.0	61	***************************************		
66	4	- ((11	6.6	***************************************	2,722	3,130
66	. 6	41	6.0	14	***************************************	1,742	2,011
66	. 0	6.6	66	66	**********************	1,210	1,397
- 11	- /	13	63	66	************************	807	928
	8				***************************************	680	785
6.6	9.	11		6.6		537	620
6.6	10	11	**	er.		435	502
44	12	1.6	6 6	(66.		302	348
4.6	14	61	6.6	1.4		222	256
**	15	64	56.	8.4		193	222
6.0	16	4.6	6.6	6.6		170	195
64	18	6.6	6.6	3.5		701	154
<.	20	.66	6.6	.64			
46	22	4.6	15	4.6	*************************	109	125
		11	66	45	***************************************	90	104
- 66	24	44	66	66		75	86
	25	16	11	66	***************************************	69	79
66	30	66		4.6		48	55
44	35					35	40
2.6	40		6.6	1.6	***************************************	0.0	31

RULE—SQUARE METHOD.—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.

RULE—EQUILATERAL TRIANGLE METHOD—Divide the number required to the acre "square method"

by the decimal .866. The result will be the number of plants required to the acre by this method.

PRICE LIST

OF

CALIFORNIA NURSERY CO.

SEASON 1902-1903

林

Prices quoted herein are for quantities and sizes specified; for extra sizes, varieties, or quantities other than mentioned, special prices will be made. Estimates cheerfully furnished on such lists.

For index, see last page of Catalogue.

FRUIT DEPARTMENT

All our Fruit Trees are grown on whole Seedling roots. The advantages of these in promoting the health and thriftiness of trees over others grafted on pieces or sections of roots, or budded on stocks grown from cuttings, is acknowledged by the best authorities, and is easily apparent to the most casual observer. All two-year-old trees are branched low and are stocky, having been cut down or headed back when yearlings, two feet aboveground, except where noted.

All of our Apple Trees and Grapevines are fumigated with hydrocyanic gas when dug, so are the buds, scions, and cuttings, prior to budding, grafting, or planting out in Nursery. This positively kills any insects that may be thereon, without any injury to tree or vines. We have erected on our grounds a new Fumigating House, with three compartments, so that we can disinfect,

at any time, either 50 trees or 10,000.

	Each.	Per 10.	Per 100.
WOOLLY APHIS PROOF APPLE			
2 year, 1 to $1\frac{1}{8}$ in. diam 4 to 6 ft.	50	4 00	
1 year, $\frac{2}{8}$ to $\frac{3}{8}$ in. diam 1 to 2 ft.	40	3 00	
Northern Spy, Winter Magentin.			
Apple—New, 1 year, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam 4 to 6 ft.	75		
1 year, $\frac{3}{8}$ to $\frac{1}{2}$ in. diam 3 to 4 ft.	50		
Winterstein.			

4 CALIFORNIA NURSERI CO	•		
	Each.	Per 10.	Per 100.
Apple —2 year, $\frac{3}{4}$ to 1 in. diam 4 to 6 ft. 1 year, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam 4 to 6 ft. 1 year, $\frac{3}{8}$ to $\frac{1}{2}$ in. diam 3 to 4 ft.	25 25 20	2 00 2 00 1 50	
SUMMER			
A. S. Pearmain, Carolina Red June, Chenango Strawberry, Duchess of Oldenburg, Early Harvest, Early Strawberry, Glowing Coal, Gravenstein, Keswick Codlin, Maiden's Blush, Red Astrachan, Ruby Gem, Starr, Sweet June, White Astrachan, William's Favorite.			
AUTUMN	1		
Alexander, Fall Pippin, Fameuse, Gloria Mundi, Golden Pippin, Golden Russet, Haas, Hoover, Hubbardston's Nonsuch, Jonathan, King of Tompkins Co., Rambo, Red Bietigheimer, Rhode Island Greening, Roxbury Russet, Skinner's Pippin, Twenty Ounce, Wealthy.			
WINTER			
Arkansas Black, Bailey Sweet, Baldwin, Ben Davis (New York Pippin), Bismarck, Canada Reinette, Dominie, Esopus Spitzenburg, Grimes Golden Pippin, Lady Apple, Lawver, Limbertwig, Marshall Red, Missouri Pippin, Nickajack, Northern Spy, Ortley (White Bellflower), Paragon, Peck's Pleasant, Rawles Janet, Red Canada, Red Pearmain, Rome Beauty Smith's Cider, Sonoma, Stark, Swaar, Tolman's Sweeting, Vandevere (Newtown Spitzenburg), Virginia Greening, Wagener, Walbridge, White Winter Pearmain, Winesap, Wolf River, Yellow Bellflower, Yellow Newtown Pippin, York Imperial.			
Crab Apple—Hyslop, Red Siberian, Transcendent, Whitney's No. 20, Yellow Siberian (Golden Beauty).			
Pear—On Pear, 2 and 3 year, \(\frac{3}{4} \) to \(\frac{1}{2} \) in. diam. 4 to 6 ft. 2 year, \(\frac{3}{4} \) to 1 in. diam. 3 to 4 ft. 1 year, \(\frac{1}{2} \) to \(\frac{3}{4} \) in. diam. 4 to 6 ft. 1 year, \(\frac{3}{8} \) to \(\frac{1}{2} \) in. diam. 3 to 4 ft. 1 year, \(\frac{1}{4} \) to \(\frac{3}{8} \) in. diam. 2 to 3 ft.	30 25 30 25 20	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$	12 00

	Each.	Per 10.	Per 100.
SUMMER			
Bartlett, Bloodgood, Clapp's Favorite, Dearborn's Seedling, Doyenne d'ete, Lawson (or Comet), Leconte, Madeline, Souvenir du Congress.			
AUTUMN			
Beurre Bosc, Beurre Clairgeau, Beurre d'Anjou, Beurre Diel, Beurre Hardy, B. S. Fox, Columbia, Dana's Hovey (Winter Seckel), Doyenne du Comice, Duchesse d'Angouleme, Flemish Beauty, Howell, Idaho, Kieffers' Hybrid, Louise Bonne de Jersey, Onondaga (Swan's Orange), Seckel, White Doyenne.			
WINTER			1 3
Beurre Gris d'Hiver, Col. Wilder, Doyenne d'Alencon, Easter Beurre, Emile de Heyst, Forelle (or Trout Pear), Glout Morceau, Pound, P. Barry, Vicar of Winkfield, Winter Bartlett, Winter Nelis.			
Pear—On Quince, 2 and 3 year, $\frac{3}{4}$ to 1 in. diam 4 to 6 ft. $\frac{5}{8}$ to $\frac{3}{4}$ in. diam 3 to 4 ft 1 year, $\frac{5}{8}$ to $\frac{7}{8}$ in. diam 4 to 6 ft. 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam 3 to 4 ft.	40 30 30 25	$\begin{array}{cccc} 2 & 50 \\ 2 & 50 \end{array}$	18 00
Bartlett Beurre Diel, Beurre Hardy, Doyenne du Comice, Duchesse d'Angouleme, Easter Beurre, Emile de Heyst, Glout Morceau, P. Barry, Pound, Winter Nelis		1 1 2 7 1	Prince
Cherry—On Mazzard,	20	0.50	18 00
2 and 3 year, \(\frac{3}{4}\) to 1\(\frac{1}{4}\) in. diam 4 to 6 ft. 2 year, \(\frac{5}{8}\) to \(\frac{3}{4}\) in. diam 3 to 4 ft. 1 year, \(\frac{5}{8}\) to \(\frac{7}{8}\) in. diam 4 to 6 ft. 1 year, \(\frac{3}{8}\) to \(\frac{5}{8}\) in. diam 3 to 4 ft. 1 year, \(\frac{1}{2}\) to \(\frac{3}{8}\) in. diam 2 to 3 ft.	$ \begin{array}{r} 30 \\ 25 \\ 30 \\ 25 \\ 20 \\ \end{array} $	$\begin{array}{c} 2 & 00 \\ 2 & 50 \\ 2 & 00 \end{array}$	15 00 18 00 15 00
Belle d'Orleans, Belle Magnifique, Black Eagle, Black Tartarian, Burr's Seedling, California Advance, Centennial, Chapman, Cleveland Bigarreau, Coe's Transparent, Early Lamaurie, Early Richmond, Early Purple Guigne, Elton, Empress Eugenie, English Morello, Governor Wood, Great Bigarreau (Black Bigarreau), Knight's Early Black, Lambert, Large Montmorency, Lewelling (Black			-may Co

	Each.	Per 10.	Per 100.
Republican), May Duke, Napoleon Bigarreau (Royal Ann), Nouvelle Royale, Ostheimer Weichsel, Pontiac, Reine Hortense, Rockport Bigarreau, Schmidt's Bigarreau, Yellow Spanish.			
Plum-New, on Myrobolan, 1 year 4 to 6 ft.	75		
1 year 3 to 4 ft. Combination, First.	50		
Plum—On Myrobolan, 2 year, $\frac{3}{4}$ to 1 in. diam 4 to 6 ft. 2 year, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam 3 to 4 ft.	30 25	$\begin{array}{cccc} 2 & 50 \\ 2 & 00 \end{array}$	
Cherry, Climax, Columbia, Green Gage, Kelsey Japan, Washington, Wickson, Yellow Egg.			
Plum—On Myrobolan, 1 year, $\frac{5}{8}$ to $\frac{7}{8}$ in. diam 4 to 6 ft. 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam 3 to 4 ft.	25 20	2 00 1 50	
Abundance, America, Apple, Bavay's Green Gage, Bradshaw, Berckman, Burbank, Chalco, Coe's Golden Drop, California Red, Cherry, Clyman, Columbia, Climax, Czar, Damson, Duane's Purple, Diamond, Early Golden, Grand Duke, Green Gage, Hale, Imperial Gaeg, Jefferson, Kelsey Japan, Late Mirabelle, Peach, Perdrigon Rouge, Prince Engelbert, Quackenboss, Red Egg, Royal Hative, Satsuma, Simon, Victoria, Washington, Wickson, Yellow Egg.			
Prune—On Myrobolan,	0.5	0.00	10.00
2 year, $\frac{3}{4}$ to 1 in. diam 4 to 6 ft. 2 year, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam 3 to 4 ft.	$\begin{array}{c} 25 \\ 20 \end{array}$	1 20	$ \begin{array}{ccccccccccccccccccccccccccccccccc$
1 year, $\frac{5}{8}$ to $\frac{7}{8}$ in. diam 4 to 6 ft. 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam 3 to 4 ft.	$\frac{25}{20}$	$\begin{array}{cccc} 2 & 00 \\ 1 & 20 \end{array}$	10 00 8 00
Bulgarian, Fellenberg, French (Petite d'Agen) German, Giant, Hungarian, Imperiale Epineuse, Robe de Sargent, Silver, St. Catherine, St. Martin, Sugar, Tragedy, Tennant.	20	1 20	0 00
Prune —On Peach, 2 year, $\frac{3}{4}$ to 1 in. díam 4 to 6 ft. 2 year, $\frac{3}{8}$ to $\frac{3}{4}$ in. díam 3 to 4 ft. French (Petite d'Agen).	25 20	2 00 1 20	10 00 8 00
Prune—On Almond, 2 year, \(\frac{3}{4} \) to 1 in. diam., 4 to 6 ft.	25	2 00	10 00
1 year, $\frac{3}{4}$ to 1 in. diam., 4 to 6 ft. 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam., 3 to 4 ft.	25 20	$\begin{array}{cccc} 2 & 00 \\ 1 & 50 \end{array}$	10 00
French (Petite d'Agen), Imperiale Epineuse.	20	1 00	0.00

	Each.	Per 10.	Per 100.
Prune—On Apricot,			1
2 year, $\frac{3}{4}$ to 1 in. diam 4 to 6 ft. 2 year, $\frac{5}{8}$ to $\frac{3}{4}$ in. diam 3 to 4 ft. French (Petite d'Agen).	25 20		10 00 8 00
Peach—On Peach—New 1 year, $\frac{5}{8}$ to $\frac{7}{8}$ in. diam 4 to 6 ft. Everbearing.	7 5		
Peach —On Peach, 1 year, $\frac{5}{8}$ to 1 in. diam 4 to 6 ft. 1 year, $\frac{1}{2}$ to $\frac{5}{8}$ in. diam 3 to 4 ft. 1 year, $\frac{3}{8}$ to $\frac{1}{2}$ in. diam 2 to 3 ft.	25 20 18	1 50	10 00
FREESTONE VARIETIES		i	
(Ripening nearly in the order named.)			
Briggs' May, Alexander, Triumph, Admiral Dewey, Amsden's June, Gov. Garland, Yellow St. John, Imperial, Hale's Early, Mountain Rose, Strawberry, Grosse Mignonne, Foster, Early Crawford, George the Fourth, Royal George, Mary's Choice, Muir, Morris White, Lovell, Wager, Wheatland, Elberta, Newhall, Stump the World, Late Crawford, Lady Palmerston, Susquehanna, Ward's Late, Picquett's Late, Salway, Bilyeau's Late.			
CLINGSTONE VARIETIES			
Tuscan, Blood, Large White, Lemon, Seller's, Golden, Runyon's, Nichol's, McKevitt's, California, Heath, George's Late, McDevitt's, Phillips, Henri- etta.			
Nectarine—On Peach, 1 year 3 to 5 ft.	25	2 00	
Advance, Boston, Downton, Early Newington, Hardwick, Humboldt, Lord Napier, New White, Victoria.			
Apricot New—Tilton, on Myrobolan, 1 year, 4 to 6 ft. 1 year, 3 to 4 ft.	40 30		
Apricot —On Apricot, 1 year, $\frac{5}{8}$ to 1 in. diam., 4 to 6 ft. 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam., 3 to 4 ft.	25 20		$\begin{array}{cccc} 12 & 00 \\ 10 & 00 \end{array}$
Bergetti, Blenheim, Hemskirke, Large Early Montgamet, Luizet, Moorpark, Newcastle Early, Ouillon's Early, Peach, Royal, Spark's Mammoth, St. Ambroise.			

	Each.	Per 10.,	Per 100.
Apricot—On Myrobolan,			
1 year, $\frac{5}{8}$ to 1 in. diam, 4 to 6 ft.	25	2 00	12 00
1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam 3 to 4 ft.	$\frac{20}{20}$	1 50	10 00
1 year, $\frac{1}{4}$ to $\frac{8}{8}$ in. diam 2 to 3 ft.	15	1 20	8 00
Blenheim, Bergetti, Hemskirke, Large Early			
Montgamet, Luizet, Moorpark, Ouillon's Early,			
Newcastle, Peach, Royal, Sardinian, St. Ambroise,			
Spark's Mammoth.			
Quince—New, Pineapple 4 to 6 ft.	50		
	40		
Quince 4 to 6 ft.	25	2 00	
	$\frac{25}{20}$		
	20	1 50	
Apple (or Orange), Champion, Meech's Prolific, Portugal, Rea's Mammoth.			
Fig—Smyrna, 1 year 3 to 5 ft.	50	4 00	
1 year 2 to 3 ft.	40	3 00	
1 year 1 to 2 ft.	$\frac{1}{25}$	$\frac{0}{2} \frac{0}{00}$	
		6 00	
Fig—Capri, 1 year 4 to 6 ft. 1 year 3 to 4 ft.	75	4 00	
1 year 2 to 3 ft.	$\frac{50}{40}$		
-			
Fig—In Variety 4 to 6 ft.	50	1 00	
	40	3 00	
	30	2 50	
1 to 2 ft.	25	2 00	
Adriatic, Agen, Angelique, Brunswick, Black			
Ischia, Bourjasotte Blanc, Brown Turkey, Califor-			
nia Black, Čeleste, Col. di Signora Nero, Drap			
d'Or, Du Roi, Ladaro, Negro Largo, Ronde Noir,			
Ronde Violet Hative, Royal Vineyard, San Pedro,			
White Genoa, White Ischia, White Marseilles.			
Fig —New	75		
	50		
	40		
Barbillonne, Dauphine, Doree, Madeleine, Pingo	40		
de Mel.			
Fig—California Black, San Pedro 8 to 10 ft.	1 00		
6 to 8 ft.	75	6 00	
Almond—On Almond, 1 year 4 to 6 ft.	30	2 50	18 00
1 year 3 to 4 ft.	25		15 00
Drake's Seedling, IXL., Languedoc, Lewelling,			
King's Soft Shell, Ne Plus Ultra, Nonpareil, Paper			
Shell, Princesse.			

	Each	Per 10.
Butternut	50 40- 25	
Chestnut—American Sweet 4 to 6 ft.	75° 50	
Italian, or Spanish . 10 to 12 ft. 6 to 8 ft. . 6 to 8 ft. . 2 to 3 ft. . 1 to 2 ft. . 3 to 4 ft. . 2 to 3 ft. . 3 to 4 ft. . 3 to 4 ft. . 4 to 6 ft. . 4 to 6 ft.	50 75 50 40 30 25 20 50 1 00 75 50	5 00 4 00 3 00 2 50 2 00 1 50
Early Maron, Fox' Prolific, Maron Combale, Maron de Lyon, Maron Nouzillard, Noir Hative, Numbo, Variegated-leaved.	50	
Filberts 4 to 6 ft.	75	
3 to 4 ft.	50	
2 to 3 ft. 1 to $1\frac{1}{2}$ ft. Fertile de Coutard, Merville de Bolwiller, Notting-	40 30	
ham Prolific, Precoce de Frauendorf, Prolific Cob, Purple-leaved.		
Pecans 8 to 10 ft. 6 to 8 ft. 4 to 6 ft. 3 to 4 ft. Pistachio Nut (Pistacia Vera) 2 to 3 ft. 1 to 2 ft.	1 00 75 60 50 75 50	1
Walnut—American Black, Trans 8 to 10 ft.	75 60	
California Black, Trans California Black, Trans	50 40 1 00 75 60	7 50 6 00 5 00
Ford's Improved Soft Shell, Trans. 6 to 8 ft. 4 to 6 ft. 3 to 4 ft. 2 to 3 ft.	50 75 60 50 40	6 00 5 00 4 00

	Each.	Per 10.
Præparturien, Trans 6 to 8 ft 4 to 6 ft 3 to 4 ft.	75 60 50	6 00 5 00 4 00 3 00
Santa Barbara Soft Shell, Trans	$ \begin{array}{r} 40 \\ 75 \\ 60 \\ 50 \\ 40 \\ 25 \end{array} $	5 00 5 00 4 00 3 00 2 00
Walnut—Grafted on English	1 50 1 25 1 00 75	
A. Bijou, Chaberte, Cut-leaved, Franquette, Mayette, Parisienne, Vourey, Mayette Rouge.		
Walnut—French, grafted on California Black. 4 to 6 ft. 3 to 4 ft. 2 to 3 ft. A. Bijou, Chaberte, Cut-leaved, Franquette, Mayette, Parisienne, Mayette Rouge, Vourey.	1 25 1 00 75	
Walnut—Seedlings, from grafted trees 8 to 10 ft. 6 to 8 ft. 4 to 6 ft. 3 to 4 ft. 2 to 3 ft. A. Bijou, Chaberte, Cluster-fruited, Franquette,	1 00 75 50 40 25	6 00 4 00
Serotina, or St. John, Vourey. Walnut—Japan	1 00 75 50	
Orange—Boxed, 2 to $2\frac{3}{4}$ in. diam 6 to 7 ft. Hart's Tardiff, Jaffa, Med. Sweet, Ruby Blood.	5 00	
Orange—Balled, Stocky-branched 6 to 7 ft. 1½ to 2 in. diam 5 to 6 ft. 1 to 1½ in. diam 4 to 5 ft. ½ to 1 in. diam 3 to 4 ft. ½ to 5 in. diam 2 to 3 ft. Maltese Blood, Med. Sweet, Mandarin, Ruby Blood, Satsuma (Unshiu), Seville, St. Michael, Thompson's Improved Washington Navel, Tangerine, Valencia Late, Washington Navel.	4 00 2 50 1 50 1 25 1 00	

	Each.	
Lemon —Balled, 1 to $1\frac{1}{2}$ in. diam 4 to 5 ft. $\frac{5}{8}$ to 1 in. diam 3 to 4 ft. $\frac{1}{2}$ to $\frac{5}{8}$ in. diam 2 to 3 ft. Eureka, Genoa, Lisbon, Villa Franca.	1 50 1 25 1 00	**Company
Limes—5-inch pot	75 50	
Pomelo (Grape Fruit)	1 50 1 25 1 00	
Persimmon—Japan 3 to 4 ft 2 to 3 ft.	50 40	
Hachiya, Hyakume, Kurokume, Tanenashi, Yemon, Zengi.		
Persimmon—American 3 to 4 ft. 2 to 3 ft.	50 40	
Pomegranate 3 to 4 ft.	50	
Sub-acid, Paper Shell, Spanish Ruby, Dessia, Radinar, Hermosilla, Sweet-fruited.	1	
Guava—Yellow, 4-inch pot 18 to 24 in.	75	
Guava —Strawberry, balled	75 50	
Carob Tree—6-inch pot	75 50 40	
Loquat—Common (Seedlings), boxed 8 to 10 ft. balled 6 to . 8 ft. balled 4 to . 6 ft. balled 3 to . 4 ft. 7-inch pot 2 to . 3 ft.	3 00 1 50 75 50 75 50	
3-inch pot	1 50' 1 00 75	

	Each.	Per 10.	Per 100.
Mulberry 8 to 10 ft.	1 00		
6 to 8 ft.	75		
4 to 6 ft.	60		
Design Hills Associate Non-Associate	50		
Downings, Lick's American, New American. Persian 3 to 4 ft.	60		
reisian 2 to 3 ft.	50		
Medlar 4 to 6 ft.	75		
3 to 4 ft.	50		
Large-fruited, Nottingham.			
Jujube 1 to $1\frac{1}{2}$ ft.	75		
Service Tree—Sorbus Domestica 6 to 8 ft.	1 25		
4 to 6 ft.	1 00		
	50		
Olive—Grafted sorts, $1\frac{1}{4}$ to $1\frac{3}{4}$ in. diam. 6 to 8 ft.	1 00	6 00	
1 to $1\frac{1}{4}$ in. diam. 4 to 6 ft.	$\begin{array}{c} 75 \\ 50 \end{array}$	$\begin{array}{cccc} 5 & 00 \\ 4 & 00 \end{array}$	
$\frac{3}{4}$ to 1 in. diam. 3 to 4 ft.		4 00	
Ascalano, Attica, Bella di Spagna, Calamignara, Columello, Corregiola, Cucco, Da Olio, Da Salare, Giarraffa, Grantois, Gordal, Infrantoio, Leccino, Marcellano, Manzanillo, Morinello, Nevadillo Blanco, Pendoulier, Piangente, Pigale, Picholin d' Aix, Regalis, Rubra, St. Augustino, Santa Catarina, Sarsalena, Solonica, Sevillano, Verdale.			
Olive—Grafted sorts, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam 2 to 3 ft. Ascalano, Picholin d' Aix, Rubra.	50	4 00	
Olive—Mission, $1\frac{3}{4}$ to $2\frac{1}{2}$ in. diam 8 to 10 ft.	1 00	· 7 50	
$1\frac{1}{4}$ to $1\frac{3}{4}$ in. diam 6 to 8 ft.	75		
$\frac{3}{4}$ to $1\frac{1}{4}$ in. diam 4 to 6 ft.	50	4 00	
$\frac{1}{2}$ to $\frac{3}{4}$ in. diam 3 to 4 ft.	40		
$\frac{1}{2}$ in. diam 2 to 3 ft.	25	2 00	
Olive-Manzanillo, Nevadillo Blanco.			
$\frac{1}{4}$ to $\frac{3}{8}$ in. diam 3 to 4 ft.	25	2 00	1
$\frac{1}{8}$ to $\frac{1}{4}$ in. diam 2 to 3 ft.	20	1 50	İ
Grapes—Foreign, \$25 per 1000		1 00	5 00

Ea	.ch.	Per 10.	Per 100.
Red, Emperor, Flame Tokay. Black, Black Ferrara, Black Hamburg, Black Malvoise, Black Morocco, California or Mission, Cornichon, Gros Colmar, Lady Downs, Muscat Hamburg, Purple Damascus, Rose of Peru, Zante.			
Grapes—Foreign Wine	20	1 00	5 00
Grapes—American	25	1 50	6 00
Red, Catawba, Delaware, Iona, Jefferson, Wyoming Red. Black, Barry, Concord, Isabella, Moore's Early, Pierce, Worden.			
Grapes - Resistant Sorts, 1 year old.			
For description of the following varieties of Resisting Vines, and for information as to the best kinds suitable to certain soils, send for our catalogue No. 4.			
Alicante X Rupestris, No. 20	20 40 40	3 0	0
Berlandieri X Rupestris, No. 219 A	50 40 40 40	3 00	0
Bourisquou X Rupestris, No. 601	$ \begin{array}{r} 40 \\ 25 \\ 50 \\ 40 \end{array} $	1 5 4 0	0 ¹ 5 00
Canada	40 40 40	3 0	
Gamay X Couderc (Columbeau X Rupestris), No.	30	2 0	
Hybrid Franc	$\frac{30}{25}$		- 1
Hybrid De Millardet	40		
Hybrid Seibel, No. 1	$\frac{25}{40}$	1	
Lenoir	20		
Monticola X Rupestris	50 50		

	Each.	Per 10.	Per 100.
Riparia	15	50	2 50
Riparia, a grandes Feuilles Per 1000, \$18	15	50	3 00
Riparia du Colorado	40	3 00	
Riparia du Colorado	15	50	3 00
Riparia, Grand Glabra	40	3 00	
Riparia, Rupestris, No. 101–14 (Millardet)	25	2 50	6 00
Riparia, X Rupestris, No. 3306	40	3 00	
Riparia X Rupestris Martin, No. 3309	40	3 00	
Rupestris des Caussettes	25	1 50	
Rupestris Martin	25	1 50	5 00
Rupestris Metallica	25	1 50	5 00
Rupestris Mission	25	1 50	5 00
Rupestris St. George Per 1000, \$20	$\frac{15}{15}$	75 50	$\begin{array}{c} 3 & 00 \\ 2 & 50 \end{array}$
Solonis X Riparia, No. 1616	$\frac{15}{25}$	$\frac{50}{1.50}$	
Solonis Robusta	$\frac{25}{15}$	50	3 00
Solonis X Othello, No. 1613	50	30	3 00
Soloms A Otheno, No. 1019	30		
Grapes Resistant—2 years			
Champini	25	1 50	6 00
Riparia Per 1000, \$16	15	50	3 00
Riparia grandes Feuilles \$20	15	50	4 00
Riparia Gloire de Montpellier. \$20	15	50	4 00
Rupestris St. George \$22	15	50	4 00
Solonis	15	50	3 00
Solonis Robusta \$20	15	50	4 00
Grapes—Grafted on Lenoir	25	2 00	12 00
Rose of Peru, Verdel, Sultana, White Sweetwater.			
Grafted on Riparia	25	2 00	12 00
Black Hamburg, Flame Tokay, Muscat of Alex-			
ander.			
Grafted on Riparia, a grandes Feuilles	25	2 00	12 00
Cornichon, Muscat of Alexander, Thompson's			
Seedless, Franken Reisling.	95	0.00	10.00
Grafted on Gloire de Montpellier	25	2 00	12 00
Rose of Peru, Royal Muscadine.	'		
Grafted on Rupestris	25	2 00	12 00
Cornichon.	20	2 00	12 00
Grafted on Rupestris, St. George	25	2 00	12 00
Black Hamburg, Cornichon, Flame Tokay,		_ 00	
Matero, Zinfandel.			
Grafted on Solonis.	25	2 00	12 00
Carignan, Emperor, Flame Tokay, White Sweet-			
water.			
Grafted on Solonis Robusta	25	2 00	12 00

	Each.	Per i	0.	Per 1	00.
Carignan.			,		
Grafted on Riparia X Rupestris	25	2	00	12	00
White Sweetwater (Chasselas Fontainebleau).			Ī		
Eleagnus—Longipes	50				
Currants	15	1	00	5	00
Black Naples, Cherry, Fay's Prolific, Fertile du Palluau, La Versailles, Lee's Prolific, White Grape.			(
Gooseberry-Champion, Houghton	15		00		
English, 2 year	30	2	50		
Columbus, Downing, Industry, Crown Bob, Whitesmith, Berkeley.					
English, 1 year	25	2	00;		
Berkeley, Crown Bob, Industry, Jolly Miller, Jolly Miner, Whitesmith.			,		
Blackberry	15		75	3	00
Crandall's Early, Kittatinny, Lawton, Wilson Jr.					
Blackberry—Mammoth and Evergreen	25	2	00		
Dewberry—Lucretia	20	1	50		
Logan Berry	15	1	00	6	00
Raspberry—Red Varieties	15	1	00	6	00
Cuthbert, Herstine, Franconia, King, Marlboro.					
Raspberry—Yellow, Golden Queen	20	1	50		
Raspberry—Black Cap	20	2	00		
Gregg, Mammoth Cluster, Ohio, Souhegan, Black Diamond, Hilborn, Kansas.	1				
Strawberry		1	50	2	00
Strawberry Australian Crimson, Bismarck, Brandywine,					
Greenville, Haverland, Laxton's Noble, Long-					
worth's Prolific, Linda, Marshall, Sharpless, Saun-					
ders.					
Asparagus—Conover's Colossal, Palmetto, and Mammoth, 1 year			50	9	00
Rhubarb—Myatt's Linnæus and Lorenzo	25	. 1	50	1	00
Linnæus Seedlings	1.		00		00
Early Prince and Golden Syrup	_	-	00	1	
Rhubarb—Rheum Officionale (Physic Rhubarb))			
Hop Roots			50		
Male	28	5			
Horse-radish	18	5 1	00		
Liquorice (Glycyrrhiza glabra)	28	5 2	00)	
Sage, Thyme, Rue, Lavender, Caper		5			
Opuntia Ficus (Indian Fig Cactus)—6-inch pot)			

ORNAMENTAL DEPARTMENT

SPECIAL LIST

We have a special list of large-sized ornamental trees, palms, and evergreens, such as we have a limited stock of, not included in this catalogue.

Palms, dracænas, and evergreens have been mostly grown in boxes from one to three years.

This list will be sent on application.

DECIDUOUS ORNAMENTAL TREES

TRAINED TREES

This class includes a variety of large-sized trees, whose straight, regular stems were headed back or cut down to a uniform height of nine feet, and handsome, well-formed heads grown thereon. They are in splendid shape for planting on avenues, streets, or roadsides, for immediate effect. With ordinary care, little or no loss should occur in moving them, as they have been frequently transplanted.

		_		-	_	-	_		 -		Inches in Diameter.	Each.	Per 10.
Ash—American											4 to 6 3 to 4	1 50 1 25	
											$2\frac{1}{2}$ to 3	1 00	
European											$\begin{vmatrix} 2\frac{1}{2} & \text{to } 3 \\ 2 & \text{to } 2\frac{1}{2} \end{vmatrix}$	$\begin{array}{cc} 1 & 50 \\ 1 & 25 \end{array}$	
Chestnut—Italia	n										3 to 4	1 50	
Elm Amarian											$2\frac{1}{2}$ to 3	1 25	
Elm — American												$\begin{bmatrix} 2 & 50 \\ 2 & 00 \end{bmatrix}$	15 00
											$\begin{vmatrix} 2\frac{1}{2} & \text{to } 3 \\ 2 & \text{to } 2\frac{1}{2} \end{vmatrix}$	$\begin{array}{cc} 1 & 50 \\ 1 & 25 \end{array}$	$ \begin{array}{ccc} 12 & 00 \\ 10 & 00 \end{array} $

	Inches in Diameter.	Each Per 10.
English or French	$ \begin{vmatrix} 4 & \text{to } 6 \\ 3 & \text{to } 4 \\ 2\frac{1}{2} & \text{to } 3 \\ 2 & \text{to } 2\frac{1}{2} \\ 1\frac{1}{2} & \text{to } 2 \end{vmatrix} $	2 50 2 00 1 50 1 25 1 00
Cork-barked	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 00 15 00 1 50 12 00 1 25 10 00 1 00 9 00 75 6 00
Elm—Huntingdon	$ \begin{vmatrix} 3 & \text{to } 4 \\ 2\frac{1}{2} & \text{to } 3 \\ 2 & \text{to } 2\frac{1}{2} \end{vmatrix} $	$\begin{array}{c c} 2 & 00 \\ 1 & 50 \\ 1 & 25 \end{array}$
Horse Chestnut—Red-flowering	$\begin{vmatrix} \dot{2} \frac{1}{2} & \text{to } 3 \\ 2 & \text{to } 2 \frac{1}{2} \end{vmatrix}$	$\begin{bmatrix} 2 & 50 \\ 2 & 00 \end{bmatrix}$
White-flowering	$\begin{array}{c} 4 & \text{to } 6 \\ 3 & \text{to } 4 \\ 2\frac{1}{2} & \text{to } 3 \\ 2 & \text{to } 2\frac{1}{2} \end{array}$	2 50 20 00 2 00 15 00 1 50 12 00 1 25 10 00
Linden—European	$\begin{vmatrix} 3 & \text{to } 4 \\ 2\frac{1}{2} & \text{to } 3 \\ 2 & \text{to } 2\frac{1}{2} \end{vmatrix}$	$ \begin{array}{c c} 2 & 50 \\ 2 & 00 \\ 1 & 50 \end{array} $
Locust—Bessoniana (Thornless)	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Maple—English Cork	$\begin{vmatrix} 3 & \text{to } 4 \\ 2\frac{1}{2} & \text{to } 3 \end{vmatrix}$	1 50 1 25
Oregon	$ \begin{vmatrix} 3 & \text{to } 4 \\ 2\frac{1}{2} & \text{to } 3 \\ 2 & \text{to } 2\frac{1}{2} \\ 1\frac{1}{2} & \text{to } 2 \end{vmatrix} $	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Sycamore	$\begin{vmatrix} 2\frac{1}{2} & \text{to } 3 \\ 2 & \text{to } 2\frac{1}{2} \end{vmatrix}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Oak—English	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 50 2 00 1 50
Paulownia—Imperialis	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 00 1 50
Poplar—Carolina	$2\frac{1}{2}$ to 3	1 25

		Inches in Diameter.	Each. Per 10.
Sophora—Japonica		4 to 6 3 to 4	3 00 2 00
		$2\frac{1}{2}$ to 3	1 50
		$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 00 2 00
Walnut—American Black		4 to 6 - 3 to 4	2 50 1 50
		104	1 00

DECIDUOUS ORNAMENTAL TREES

GENERAL ASSORTMENT

	Each.
Acacia—Julibrissin 4 to 6 ft	1 00
3 to 4 ft	75 50
	50
Almond—Large double-flowering 4 to 6 ft 3 to 4 ft	40
	75
Apple—Flowering 6 to 8 tt 4 to 6 ft	50
Carneo Pleno, flesh color, double, Fragrant Garland.	
Medwietzkyanas (New) 4 to 6 ft	1 00
Flowers red, all parts of tree red.	
Ash —American 10 to 12 ft	80
8 to 10 ft,	70
6 to 8 ft	60
Times 19 to 14 ft	50
European	$\begin{array}{ c c c c c }\hline 1 & 50 \\ 1 & 25 \end{array}$
8 to 10 ft	1 00
6 to 8 ft	75
4 to 6 ft	50
Flowering (Ornus) 6 to 8 ft	1 00
4 to 6 ft	75
Beech—European 6 to 8 ft	1 50
$4 \text{ to } 6 \text{ ft.} \dots$	1 00
3 to 4 ft	75

	Each	١.
Beech—Purple-leaved 6 to 8 ft	3 (
4 to 6 ft	2 (
		50
		00
Birch—European White		$\frac{25}{25}$
	1 1 (υυ 75
4 to 6 ft		60
2 to 3 ft		50
Cut-leaved (see Weeping Trees).		
Papyracea 4 to 6 ft	1 (00
		75
$2 ag{to} 3 ag{tt.} \dots$	5	50
Poplar 3 to 4 ft		75
2 to 3 ft		50
Purple-leaved 4 to 6 ft 2 to 3 ft		75 50
Sweet (Lenta) 1 to $1\frac{1}{2}$ ft		90 75
Upright		50
opright		00
8 to 10 ft		75
Water 24 to 30 inches	7	75
Buckeye—Ohio 6 to 8 ft	1 (00
4 to 6 ft		75
Catalpa—Bungei 6 to 8 ft	7	75
4 to 6 ft	Ę.	50
Speciosa 6 to 8 ft	7	75
4 to 6 ft		50
Syringafolia 6 to 8 ft		75
Chartenet 7: 15		50
Chestnut—Italian, or Spanish	1 0	
		75 30
Cedrela—Sinensis 2 to 3 ft		90 90
Dymorphantus—Mandschuricus 8 to 10 ft 6 to 8 ft		00 75
Elm—American		25 00
6 to 8 ft.		75
4 to 6 ft		50
Cork-barked		
10 to 12 ft., per 10, \$6 00		75
8 to 10 ft., per 10, \$5 00		60
6 to 8 ft., per 10, \$4 00	5	50

	· E	ach.
	10. 14.6 40 40 50	1 00
	. 12 to 14 ft., per 10, \$7 50 1. 10 to 12 ft., per 10, \$6 00	$\begin{array}{c} 1 & 00 \\ \hline 75 \end{array}$
	. 8 to 10 ft., per 10, \$5 00	60
	6 to 8 ft., per 10, \$4 00	50
Huntingdon		1 25
	. 8 to 10 ft	1 00
	. 6 to 8 ft	75
Wheatley's	. 10 to 12 ft	75
Horse Chestnut—European, or		
White-flowering		1 00
	. 8 to 10 ft.	75
	. 2 to 3 ft	50
Red-flowering		1 00
	. 4 to 6 ft	75 50
Violen Tone To 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Judas Tree—Red and White-flowering	6 to 8 ft	$\frac{1}{75}$
	3 to 4 ft	50
Laburnum		1 25
Laburnum		1 00
	. 6 to 8 ft	75
	. 4 to 6 ft	60
	. 3 to 4 ft	50
Larch—European, 5 inch pot	. 2 to $2\frac{1}{2}$ ft	75
4 inch pot		50
· · · · · · · · · · · · · · · · · · ·		1 00
Lemonia Trifoliata	. 4 to 6 ft	75
Linden—American		1 25
	1 . 0 . 0	1 00 75
European		1 25
14uropean		1 00
	. 6 to 8 ft	75
	. 4 to 6 ft	50
Liquidamber	. 3 to 4 ft	00
	. 1 to 1½ ft	50
		25
Locust—Bessoniana (Thornless)		L 20
	. 8 to 10 ft	75
	. 6 to 8 ft	60
	. 4 to 6 ft	50
Common, or Black		00
	. 10 to 12 ft., per 10, \$6 00	75
	. 8 to 10 ft., per 10, \$5 00	60
	. 6 to 8 ft., per 10, \$4 00	50
	. 4 to 6 ft., per 10, \$2 00	25

	Each.
Locust—Decaisneana (Pink-flowering) 6 to 8 ft	75
4 to 6 ft	E.
Thornless Honey (Gleditschia) . 10 to 12 ft 8 to 10 ft	75 50
Honey, Chinese 6 to 8 ft	50
	40
Honey, Japanese 3 to 4 ft	40
Maiden Hair Tree 4 to 6 ft	1 00
3 to 4 ft.	75
Maple—(Acer) Box Elder, Golden	
variegated 4 to 6 ft	75
California 10 to 12 ft	75
8 to 10 ft., per 10, \$5 00	60
	50
English, Cork-barked 12 to 14 ft	75 50
Norway	1 00
101 way	80
8 to 10 ft	60
Oregon 10 to 12 ft., per 10, \$6 00	75
8 to 10 ft., per 10, \$5 00	60
6 to 8 ft., per 10, \$4 00	50
Purple Leaved (Schwedlerii) 10 to 12 ft 8 to 10 ft	$\frac{1}{75}$
8 to 10 ft	60
4 to 6 ft	50
Reitenbach's 10 to 12 ft	1 00
8 to 10 ft	80
6 to 8 ft	70 60
Scarlet 8 to 10 ft	1 00
6 to 8 ft	75
4 to 6 ft !	60
Silver, or Soft	1 00
	80
8 to 10 ft., per 10, \$6 00 6 to 8 ft., per 10, \$5 00	$\frac{70}{60}$
4 to 6 ft., per 10, \$4 00	50
Sugar	1 25
	1 00
8 to 10 ft 6 to 8 ft	$ \begin{array}{c c} 1 & 00 \\ 80 \\ 70 \end{array} $

								Each	h.
Maple—Sycamore	12	to 1	4 ft.,	per	10,	\$7	50	1	00
	10	to 1	2 ft.,	per	10,	\$6	00		75
	8	to 1	0 ft.,	per	10,	\$5	00		60
Weir's Cut-leaved	10	to 1	2 ft.	Ī.,			.	1	00
			0 ft.						80
	6	to	8 ft.						60
Melia Japonica	4	to	6 ft.						7
	3	to	4 ft.						50
Mountain Ash—European	10	₄₀ 1	2 ft.					1	04
Mountain Asn—European			0 ft.				٠		86
			8 ft.		•		•		60
			6 ft.		•	٠.	•		50
Oak-leaved			0 ft.				•		7!
Oak-leaveu			8 ft.				•		66
					•		•		-
Mulberry			0 ft.					1	
Downing's, Lick's American.			8 ft.						7
Multicaulis, New American .			6 ft.		. •	٠			60
White (Alba)			2 ft.,						7
			0 ft.,						5
			8 ft.,						4(
	. 4	to	6 ft.,	per	10,	\$2	50		3(
0ak —Burr	4	to	5 ft.						7
California Weeping, or Valley		to	6 ft.						7
California White (Douglass)			4 ft. 6 ft.		٠		•		5(
9 /		to to	4 ft.				•		74 50
Cut-leaved			0 ft.		•		•	1	-
Cut-leaved			8 ft.		•		•		7
			2 ft.		•		•		0
met (m. 44) : 1)		to				٠.	•	_	00
Red (Rubra)		-	0 ft.		•				2
		-	2 ft.				•	1	_
			0 ft.		•		•	1	_
		to	8 ft.		•		•	_	7
Serrata		to	4 ft.						7
		to	3 ft.						5
			4 ft.					1	
-			2 ft.					1	-
			0 ft.					_	7
Daulamia Tomini 11			2 ft. 0 ft.					_	2
Paulownia—Imperialis			11 +4					1	U
Paulownia—Imperialis	. 8	10 1	o it.		•	•	•	~	
Paulownia—Imperialis			8 ft.			•	•	_	5(

		Each.
		васи.
Peach—Flowering 6 to 8 ft		75
3 to 4 ft.		50
Early Red, Double Red, Double Rose, Double White.		25
Pecan 8 to 10 ft	1	1 00
etali 6 to 8 ft		75
Phellodendron—Amurense 2 to 3 ft		1 00
		75
Plane Tree (see Sycamore).		
Persimmon —European $1\frac{1}{2}$ to 2 ft., per 10, \$4	00	50
Plum—Double-flowered (Spinosa) 8 to 10 ft		75
Plum—Myrobolan 6 to 8 ft., per 10, \$3		40
	2 00	25
Purple-leaved (Pissardi) 8 to 10 ft		75
6 to 8 ft., per 10, \$4		50
4 to 6 ft., per 10, \$3	-50	40
Pterocarya Caucasica 2 to 3 ft	. ,	75
Poplar—Bolleana		1 50
		1 00
	٠.	75 60
4 to 6 ft		50
Carolina	50	1 00
	00	75
8 to 10 ft., per 10, \$4	: 00	50
6 to 8 ft., per 10, \$3		40
4 to 6 ft., per 10, \$2	2 00	30
Lombardy	5 00 - 00	75 50
6 to 8 ft., per 10, \$3		40
4 to 6 ft., per 10, \$2		30
White or Silver 12 to 14 ft., per 10, \$7	50	1 00
10 to 12 ft., per 10, \$6	00	75
8 to 10 ft., per 10, \$4		50
6 to 8 ft., per 10, \$3		40
4 to 6 ft., per 10, \$2	. 00	30
Sophora—Japonica		1 25 1 00
		7
Sorbus Domestica—(Service Tree) 8 to 10 ft		1 25
Service Tree) 6 to 8 ft		1 00
4 to 6 ft		75
Sterculia—Plantanifolia 3 to 4 ft.		1 00
		75

	Each:
Sycamore—American Plane	50 1 50 1 25 1 00 80 60 50
Variegated	1 50 1 00
Taxodium—Distichum (Decidu's Cypress) 3 to 4 ft 2 to 3 ft	75 50
Texas Umbrella 7 to 8 ft., per 10, \$7 50 6 to 7 ft., per 10, \$6 00 5 to 6 ft., per 10, \$5 00 4 to 5 ft., per 10, \$4 00 3 to 4 ft., per 10, \$3 00	1 00 75 60 50 40
Thorns 12 to 14 ft., per 10, \$12 00	1 50 1 00 80 70 60 50
Scarlet, Pyramidal, Rubra Splendens. Thorns—Washington (Cordata) 4 to 6 ft	75
Tulip Tree 3 to 4 ft. 4 to 6 ft. 3 to 4 ft.	50 75 50
Virgilia-Lutea—Yellow Wood 6 to 8 ft. 4 to 6 ft. Walnut—American Black 8 to 10 ft. 6 to 8 ft., per 10, \$5 00 4 to 6 ft., per 10, \$4 00	1 00 75 75 60 50
Walnut—Cut-leaved	1 00
Walnut—California Black	75 1 00 75 60 50
Willow—Black Sallow 4 to 6 ft. 3 to 4 ft. 6 to 8 ft. 4 to 6 ft. 4 to 6 ft.	50 50 25 50 25

										Each.
Willow-Golden					8.to	10 ft.				60
										50
					4 to	6 ft.				25
Ural Golden					8 to	10 ft.				60
					6 to	8 ft.				50
					4 to	6 ft.				25

DECIDUOUS WEEPING TREES

	Each.
Ash—European 6 to 8 ft	1 00
	1 00
Birch —Cut-leaved	$\begin{array}{c c} 1 & 50 \\ 1 & 25 \end{array}$
	1 00
	75
4 to 6 ft	60
3 to 4 ft	50
Young's 10 to 12 ft	1 25
8 to 10 ft	1 00
4 to 6 ft	75
Cherry—Japonica Rosea 4 to 6 ft.	7.5
3 to 4 ft	50
Elm —Camperdown 2 to $2\frac{1}{2}$ in. diam. 8 to 10 ft	1 50
$2\frac{1}{2}$ to 3 in. diam. 6 to 8 ft	1 00
Cork-barked $2\frac{7}{2}$ to 3 in. diam. 10 to 12 ft	1 50
Rough-leaved $2\frac{1}{2}$ to 3 in diam. 6 to 8 ft	1 50
Laburnum 8 to 10 ft	1 ()()
6 to 8 ft	75
Linden 3 to 4 in. diam. 12 to 15 ft	2 00
Mulberry—Tea's 6 to 8 ft	1 50
Poplar 8 to 10 ft	1 50
Sophora 6 to 8 ft	3 00
4 to 6 ft,	2 00
Walnut 8 to 10 ft	2 00
Willow—Common 8 to 10 ft	60
6 to 8 ft	50
4 to 6 ft	40
3 to 4 ft	25

									,								Each.
Willow—Lick's					٥.			,	10	to	12	ft.					75
									8	to	10	ft.					60
									6	to	8	ft.		4		٠	50
									4	to	6	ft.	٠		, .		40
												ft.					25
Ring I	√ea	f					٠		3	to	4	ft.					50

EVERGREEN CONIFEROUS TREES

	Each.
Araucaria—Bidwellii, boxed 4 to 6 ft	8 00
boxed 3 to 4 ft	5 00
7-inch pot 18 to 24 in	2 50
Excelsa, 7-inch pot 2 to $2\frac{1}{2}$ ft	3 00
6-inch pot 15 to 18 in	2 00
5-inch pot 12 to 15 in	1 50
Excelsa Glauca, 5-inch pot 12 to 15 in.	3 00
Excelsa Robusta Compacta,	
6-inch pot 15 to 18 in	3 00
Imbricata, boxed 3 to 4 ft	5 00
balled 2 to 3 ft	4 00
balled $1\frac{1}{2}$ to 2 ft	3 00
balled $\tilde{1}$ to $1\frac{1}{2}$ ft	2 00
balled $1ar{2}$ in	1 00
Arbor Vitæ—Chinese Golden, balled 4 to 6 ft	1 00
Chinese Silver, balled 4 to 6 ft	1 00
Ever-golden, balled 2 to 3 ft	1 50
balled \ldots $1\frac{1}{2}$ to 2 ft. \ldots	1 00
George Peabody, balled $\tilde{2}$ to 3 ft. \ldots	1 00
balled $1\frac{1}{2}$ to 2 ft. \dots	75
Gigantea or Lobbii, boxed 8 to 10 ft	5 00
balled 6 to 8 ft	1 00
balled 4 to 6 ft	75
balled 3 to 4 ft	50
Gigantea or Lobbii Aurea,	
balled . 4 to 6 ft	3 00
balled . 3 to 4 ft	2 00
7-inch pot 2 to $2\frac{1}{2}$ ft	1 50
Golden, balled \ldots $1\frac{1}{2}$ to $\tilde{2}$ ft. \ldots	1 00
balled 1 to $1\frac{1}{2}$ ft	75

		Each.
Arbor Vitæ—Japan Weeping, balled	3 to 4 ft	1 50
balled .	2 to 3 ft	1 00
Siberian, balled	2 to 3 ft	75
California Big Tree—boxed	3 to 4 ft	4 00
balled	2 to 3 ft	2 50
balled	$1\frac{1}{2}$ to 2 ft	1 50
balled	$\tilde{1}$ to $1\frac{1}{2}$ ft	1 00
8-inch pot	15 to 18 in	1 50
6-inch pot	12 in	1 00
California Nutmeg-balled	3 to 4 ft	3 00
balled	2 to 3 ft	2 00
5-inch pot	1 ft	1 00
Cedar—Atlantica, 3-inch pot	8 to 12 in	1 00
Atlantica Glauca, balled	4 to 6 ft	5 00
6-inch pot	$2\frac{1}{2}$ ft	3 00
	18 to $2\tilde{4}$ in	2 50
Deodar, balled	3 to 4 ft	3 00
balled	2 to 3 ft	2 50
balled	1 to $1\frac{1}{2}$ ft	1 00
5-inch pot	18 to 24 in	1 50
F + 1	12 to 18 in	1 00
Deodora Verticellata Glauca,		
balled	. $1\frac{1}{2}$ to 2 ft	2 00
balled	$\bar{1}$ to $1\frac{1}{2}$ ft	1 50
Lebanon, boxed	$10 \text{ to } 1\overline{2} \text{ ft.}$	12 00
boxed	. , 8 to 10 ft	9 00
balled	6 to 8 ft	8 00
balled	4 to 6 ft	5 00
balled	3 to 4 ft	3 00
balled	2 to 3 ft	$2 \ 50$
balled	. $1\frac{1}{2}$ to 2 ft	1 50
balled	$1 \text{ to } 1\frac{1}{2} \text{ ft.}$	1 00
Cephalotaxus—Drupacea, balled .	4 to 6 ft	2 00
balled .	3 to 4 ft	1 50
Fortunei, balled .	4 to 6 ft	2 00
balled .	3 to 4 ft	1 50
Cryptomeria—Elegans, balled	3 to 4 ft	1 00
* 44 *	2 to 3 ft	75
9-inch pot .	3 to 4 ft	1 00
Japonica, 10x12-inch	box 6 to 7 ft	2 00
balled	3 to 4 ft	50
8-inch pot	4 to 5 ft	75
8-inch pot	3 to 4 ft	50
Cunninghamia—Sinensis, balled .	4 to 6 ft	3 00
Cypress—Funeral, balled	2 to 3 ft	1 00
Guadalupensis, balled	3 to 4 ft	75
	· ·	

		Each.
Cypress-	—Guadalupensis, balled 2 to 3 ft. Guadalupensis glauca,	50
	5-inch pot $\dots \dots 1\frac{1}{2}$ to 2 ft.	75
	Italian, balled 6 to 8 ft.	1 00
	balled 4 to 6 ft.	75
	balled 3 to 4 ft.	50
	balled 2 to 3 ft.	40
	3-inch pot 1 to $1\frac{1}{2}$ ft.	25
	Knightiana, 3-inch pot $1\frac{1}{2}$ to 2 ft.	50
	Lawsoniana, boxed 6 to 8 ft.	4 00
	balled 2 to 3 ft. balled $1\frac{1}{2}$ to 2 ft.	75
	4 10 1	6 00
	Argentea, boxed 8 to 10 ft.	5 00
	balled 4 to 6 ft.	1 50
	Lutea, balled 2 to 3 ft.	1 50
	balled $1\frac{1}{2}$ to 2 ft.	1 00
	Stricta Viridis, boxed 6 to 8 ft.	5 00
	balled 4 to 6 ft.	2 50
	balled 3 to 4 ft.	1 00
	Monterey, balled, per 10, \$4.00 4 to 5 ft.	50
	balled, per 10, \$3.00 3 to 4 ft.	35
	balled, per 10, \$2.00; per 100, \$15 2 to 3 ft.	25
	balled, per 10, \$1.50; per 100, \$12 $1\frac{1}{2}$ to 2 ft.	20
	Transplanted in boxes (of 100 each),	
	2 years, 15 to 18 inch; per box, \$3.00;	
	per 1000, \$25.	
	Transplanted in boxes (of 100 each),	
	1 year, 6 to 8 inch; per box, \$2.50; per 1000, \$20.	
		1 00
	Golden, balled 4 to 6 ft. balled 2 to 3 ft.	1 00
	Variegated, balled 4 to 5 ft.	$\begin{array}{c c} 75 \\ 1 & 00 \end{array}$
Juniper-	Bermudiana, balled 6 to 8 ft.	2 00
	balled 4 to 5 ft.	1 00
	balled	$\frac{75}{100}$
	Drupacea, balled 4 to 5 ft. balled 3 to 4 ft.	75
	Irish, balled 6 to 8 ft.	3 00
	balled 4 to 5 ft.	1 50
	balled 3 to 4 ft.	1 00
	Japan, balled 4 to 5 ft.	1 50
	balled 2 to 3 ft.	1 00
	Japan Variegated, balled 4 to 6 ft.	1 00
	balled 3 to 4 ft.	75
	Japan Creeping Variegated, balled 1 to $1\frac{1}{2}$ ft.	75

balled balled 3 to 4 ft.	ch.
Balled 2 to 3 ft. Prostrata, balled 2 to 3 ft. balled 1½ to 2 ft. Sabina, balled 1½ to 2 ft. Sabina, balled 1 to 1½ ft. Libocedrus—Chilensis, balled 4 to 5 ft. 1 balled 3 to 4 ft. 1 Decurrens, boxed 8 to 10 ft. 5 boxed 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 3 to 4 ft. 1 Decurrens, boxed 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 3 to 4 ft. 1 Decurrens, boxed 6 to 8 ft. 2 balled 3 to 4 ft. 1 Decurrens, boxed 6 to 8 ft. 2 balled 3 to 4 ft. 1 Decurrens, balled 2 to 3 ft. Decurrens, balled 2 to 3 ft. Decurrens, balled 4 to 6 ft. 1 Decurrens, balled 1½ to 2 ft. Decurrens, boxed 8 to 10 ft. 5 Decurrens, balled 2 to 3 ft. 1 Decurrens, boxed 8 to 10 ft. 5 Decurrens, decurrent 5 ft. 2 Decurrens, decurrent 5 ft. 2 Decurrent 5 ft. 2 Decurrent 5 ft. 2 Decurrent 5 ft. 3 Decurrent 5 ft. 5 Decurrent 5 ft. 1	00
Prostrata, balled 2 to 3 ft. balled 1½ to 2 ft. Sabina, balled 1½ to 2 ft. It to 1½ ft. Libocedrus—Chilensis, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 3 to 4 ft. 1 balled 5 ft. 1 balled 5 ft. 1 balled 5 ft. 2 balled 6 to 8 ft. 2 balled 7 to 6 ft. 1 balled 7 to 6 ft. 1 balled 7 to 6 ft. 1 balled 7 to	75
balled 1½ to 2 ft. Sabina, balled 1 to ½ ft. Libocedrus—Chilensis, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 3 to 4 ft. 1 Decurreus, boxed 6 to 8 ft. 2 boxed 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 3 to 4 ft. 1 balled 2 to 3 ft. 2 balled 4 to 6 ft. 1 balled 4 to 6 ft. 1 balled 2 to 3 ft. 1 Pine—Austrian, balled 2 to 3 ft. 1 balled 2 to 3 ft. 1 balled 2 to 3 ft. 1 Canariensis, boxed 8 to 10 ft. 5 balled 2 to 3 ft. 1 Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 4 to 5 ft. 2 Fremontian, balled 4 to 5 ft. 5	50
Sabina, balled	75
Libocedrus Chilensis, balled	50
balled	50
balled 3 to 4 ft. 1	50
Decurrens, boxed 8 to 10 ft. 5 boxed 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 3 to 4 ft. 1 balled 2 to 3 ft. 2 balled 4 to 6 ft. 1 balled 3 to 4 ft. 1 balled 4 to 6 ft. 1 balled 3 to 4 ft. 1 balled 3 to 4 ft. 1 balled 4 to 6 ft. 1 balled 3 to 4 ft. 1 balled 3 to 3 ft. 1 balled 4 to 5 ft. 2 balled 4 to 5 ft. 2 balled 4 to 5 ft. 2 balled 3 to 4 ft. 3 to 4 ft. 3 to 4 ft. 3 to 4 ft. 3 to 4 to 5 ft. 4 to 5 ft. 5 to 5	50
boxed balled 4 to 5 ft. 1	00
balled	00
balled balled 2 to 3 ft. Viridis, balled 6 to 8 ft. 2 balled 4 to 6 ft. 1 balled 3 to 4 ft. 1 Pine—Austrian, balled 2 to 3 ft. 1 balled 1½ to 2 ft. 6-inch pot 2 ft. 6-inch pot 2 ft. 6-inch pot 6 to 8 in. 1 Canariensis, boxed 8 to 10 ft. 5 balled 1 to 5 ft. 2 balled 1 to 2 ft. 1 Coulterii, balled 4 to 5 ft. 2 balled 4 to 5 ft. 2 balled 3 to 4 ft. 3 to 4 ft. 3 balled 4 to 5 ft. 2 balled 3 to 4 ft. 3 balled 3 to 4 ft. 3 balled 4 to 5 ft. 2 balled 3 to 4 ft. 3 balled 3 to 4 ft. 3 balled 1 to 1½ ft. 5 balled 1 to 5 ft. 1 balled 1 to 6 ft. 1 t	50
balled 2 to 3 ft. Viridis, balled 6 to 8 ft. 2 balled 4 to 6 ft. 1 balled 3 to 4 ft. 1 Pine—Austrian, balled 2 to 3 ft. 1 balled 1½ to 2 ft. 6 6-inch pot 2 ft. 5 Canariensis, boxed 8 to 10 ft. 5 balled 2 to 3 ft. 1 Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 1 to 2 ft. 1 Contorta, balled 4 to 5 ft. 3 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. 1 Maritima, balled 4 to 5 ft. 2 balled 4 to 5 ft. 1 balled, per 10, \$8,00 6 to 8 ft. 1 balled, per 10, \$6,00 4 to 6 ft.<	50
Viridis, balled 6 to 8 ft. 2 balled 4 to 6 ft. 1 balled 3 to 4 ft. 1 Pine—Austrian, balled 2 to 3 ft. 1 balled 1½ to 2 ft. 6 6-inch pot 2 ft. 5 Canariensis, boxed 8 to 10 ft. 5 balled 2 to 3 ft. 1 Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 1 to 2 ft. 1 Contorta, balled 6 to 8 ft. 3 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. 1 Maritima, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 5 ft. 1 balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 </td <td>0.0</td>	0.0
balled	50
Dalled 3 to 4 ft. 1 Pine—Austrian, balled 2 to 3 ft. 1 balled 11½ to 2 ft. 6-inch pot 2 ft. Canariensis, boxed 8 to 10 ft. 5 balled 2 to 3 ft. 1 Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1 to 1½ ft. 1 Maritima, balled 4 to 5 ft. 1 balled 1 to 1½ ft. 1 balled 4 to 5 ft. 1 balled 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1	00
Pine—Austrian, balled 2 to 3 ft. 1 balled 1½ to 2 ft. 6-inch pot 2 ft. Canariensis, boxed 8 to 10 ft. 5 balled 2 to 3 ft. 1 Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 1 to 2 ft. 1 Contorta, balled 6 to 8 ft. 3 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. 1 Maritima, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 2 to 3 ft. 1 Monterey, balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$6.00 4 to 6 ft. 1 balled, per 10, \$4.00 3 to 4 ft. 1	0 0
balled 11½ to 2 ft. 6-inch pot 2 ft. Canariensis, boxed 8 to 10 ft. 5 balled 2 to 3 ft. 1 Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 7 to 2 ft. 1 Contorta, balled 6 to 8 ft. 3 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 Maritima, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. Maritima, balled 6 to 8 ft. 2 balled 1 to 5 ft. 1 balled 1 to 5 ft. 1 balled 6 to 8 ft. 1 balled 4 to 5 ft. 1 balled 4 to 5 ft. 1 balled 6 to 8 ft. 1 balled 7 to 6 to 8 ft. 1 balled 9 to 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1	00
balled 11½ to 2 ft. 6-inch pot 2 ft. Canariensis, boxed 8 to 10 ft. 5 balled 2 to 3 ft. 1 Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 7 to 2 ft. 1 Contorta, balled 6 to 8 ft. 3 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 Maritima, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. Maritima, balled 6 to 8 ft. 2 balled 1 to 5 ft. 1 balled 1 to 5 ft. 1 balled 6 to 8 ft. 1 balled 4 to 5 ft. 1 balled 4 to 5 ft. 1 balled 6 to 8 ft. 1 balled 7 to 6 to 8 ft. 1 balled 9 to 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1	0.0
Canariensis, boxed 8 to 10 ft. 5 balled 2 to 3 ft. 1 Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 1 to 2 ft. 1 Contorta, balled 6 to 8 ft. 3 balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1 to 1½ ft. 1 balled 1 to 1½ ft. 1 Maritima, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 4 to 6 ft. 1 balled 4 to 6 ft. 1 <td< td=""><td>75</td></td<>	75
balled 2 to 3 ft. 1 Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 1 to 2 ft. 1 Contorta, balled 6 to 8 ft. 3 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. Maritima, balled 6 to 8 ft. 2 balled 1 to 1½ ft. Maritima, balled 6 to 8 ft. 1 balled 4 to 5 ft. 1 balled 7 to 6 to 8 ft. 1 balled 4 to 5 ft. 1 balled 4 to 5 ft. 1 balled 7 to 6 to 8 ft. 1 balled 9 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$8.00 6 to 8 ft. 1	75
Cembra, 4-inch pot 6 to 8 in. 1 Coulterii, balled 4 to 5 ft. 2 balled 1 to 2 ft. 1 Contorta, balled 6 to 8 ft. 3 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. Maritima, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 2 to 3 ft. 1 Monterey, balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$6.00 4 to 6 ft. 1 balled, per 10, \$4.00 3 to 4 ft. 1	()()
Coulterii, balled 4 to 5 ft. 2 balled 1 to 2 ft. 1 Contorta, balled 6 to 8 ft. 3 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1 to 1½ ft. 1 balled 1 to 1½ ft. 1 Maritima, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 2 to 3 ft. 1 Monterey, balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$6.00 4 to 6 ft. 1 balled, per 10, \$4.00 3 to 4 ft. 1	0.0
balled	00
Contorta, balled 6 to 8 ft. 3 balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. Maritima, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 2 to 3 ft. Monterey, balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$6.00 4 to 6 ft. balled, per 10, \$4.00 3 to 4 ft.	0()
balled 4 to 5 ft. 2 Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. Maritima, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 2 to 3 ft. Monterey, balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$6.00 4 to 6 ft. balled, per 10, \$4.00 3 to 4 ft.	00
Fremontiana, balled 4 to 5 ft. 5 balled 3 to 4 ft. 3 Laricio, 6-inch pot 18 to 24 in. 1 Mascayana, balled 1½ to 2 ft. 1 balled 1 to 1½ ft. Maritima, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 2 to 3 ft. Monterey, balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$6.00 4 to 6 ft. 1 balled, per 10, \$4.00 3 to 4 ft. 3	()()
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00
Maritima, balled 6 to 8 ft. 2 balled 4 to 5 ft. 1 balled 2 to 3 ft. Monterey, balled, per 10, \$8,00 6 to 8 ft. 1 balled, per 10, \$6,00 4 to 6 ft. balled, per 10, \$4,00 3 to 4 ft.	00
balled	75
balled , 2 to 3 ft	
Monterey, balled, per 10, \$8.00 6 to 8 ft. 1 balled, per 10, \$6.00 4 to 6 ft. balled, per 10, \$4.00 3 to 4 ft.	75
balled, per 10, \$6.00 4 to 6 ft. balled, per 10, \$4.00 3 to 4 ft.	00
balled, per 10, \$4.00 3 to 4 ft.	75
hall and 10 09 00 mm 100 005	50
	40
5-inch pot 18 to 24 in.	25
Transplanted in boxes (of 100 each), 1 year,	O
6 to 8 inch; per box, \$3.00.	
	00
balled 2 to 3 ft.	75
	00
balled \dots	75

·	Each.
Pine—Sabiniana, balled 6 to 8 ft	1 50
Sylvestris (Sequoia Sempervirens)	
(Scotch Pine), balled $\dots 2$ to $2\frac{1}{2}$ ft	. 75
Redwood — balled, per 10, \$10 6 to 8 ft.	1 50
balled, per 10, \$8.00 4 to 6 ft.	1 00
balled, per 10, \$6.00 3 to 4 ft.	. 80
balled, per 10, \$5.00 2 to 3 ft.	60
balled, per 10, \$4.00	50
balled, per 10, $\$2.00 \dots 1 \text{ to } 1\frac{1}{2} \text{ ft.}$	25
7-inch pot, per 10, $\$6.00$ 2 to $2\frac{7}{2}$ ft.	75
5-inch pot, per 10, $\$4.00$ 2 to $\overline{3}$ ft.	50
5-inch pot, per 10, \$2.00 18 in.	25
Glaucous-leaved, boxed 8 to 10 ft.	2 50
balled 6 to 8 ft.	1 50
balled 4 to 6 ft.	1 00
8-inch pot 3 to 4 ft.	1 00
8-inch pot 2 to 3 ft.	75
Retinospora—Plumosa, balled 2 to 3 ft.	
Spruce—Alba, balled	
1 11 1	1 00
2	3 00
1 11 1	1 50
	1 00
7.1	2 00
1 11 1	1 50
	1 00
	1 00
	1 00
	3 00
	$\frac{3}{2} \frac{00}{00}$
	1 50
2 11	1 00
balled 1 to $1\frac{1}{2}$ ft.	
Douglas, balled 4 to 6 ft.	
balled 3 to 4 ft.	1 50
balled 2 to 3 ft.	75
balled $1, \dots, 1\frac{1}{2}$ to 2 ft.	50
Engelmanni, balled $1\frac{1}{2}$ to 2 ft.	1 00
Excelsa (Norway), balled 3 to 4 ft.	1 00
balled 2 to 3 ft.	75
balled $1\frac{1}{2}$ to 2 ft.	50
Excelsa Aurea, balled 3 to 4 ft.	1 50
balled 2 to 3 ft.	1 00
balled $\dots \dots 1\frac{1}{2}$ to 2 ft.	75
Firma, 5-inch pot 2 ft.	2 00
Lasiocarpa, balled 8 to 12 in.	1 00

	Each.
Spruce—Mariesii, balled	2 00
balled $\tilde{1}$ to $1\frac{1}{2}$ ft. :	1 00
Menzies, balled $1\frac{1}{2}$ to $2^{\frac{1}{2}}$ ft.	1 00
balled	75
Morinda, 8-inch pot 3 to 4 ft.	2 50
Nobilis, balled 2 to 3 ft.	3 00
balled $1\frac{1}{2}$ to 2 ft.	1 50
Nordman's Silver, balled 3 to 4 ft.	5 00
balled 2 to 3 ft.	3 00
	* '/()
balled 1 to $1\frac{1}{2}$ ft.	1 00
Pinsapo, balled 4 to 6 ft.	5 00
balled 1 to $1\frac{1}{2}$ ft.	1 50
Polita, balled 2 to 3 ft.	3 00
balled $1\frac{1}{2}$ to 2 ft.	2 00
balled \dots 1 to $1\frac{1}{2}$ ft.	1 ()()
Pungens glauca, balled 4 to 6 ft.	6 00
balled 3 to 4 ft.	5 00
balled 2 to 3 ft.	4 00
balled $1\frac{1}{2}$ to 2 ft.	3 00
Pungens, balled 2 to 3 ft.	3 00
balled $1\frac{1}{2}$ to 2 ft.	2 00
Remonti, balled	1 00
8-inch pot 18 in.	2 00
Thujopsis—Borealis glauca, boxed 8 to 10 ft.	4 00
	3 00
balled 1 to $1\frac{1}{2}$ ft.	75
Dolobrata, 7-inch pot $\dots \dots	1 00
5-inch pot $1\frac{1}{2}$ to 2 ft.	75
4-inch pot 8 to 12 in.	50
Dolobrata Variegata, balled 1 to $1\frac{1}{2}$ ft.	75
5-inch pot \dots 1 to $1\frac{1}{2}$ ft.	75
5 -inch pot 12 to $1\overline{5}$ in.	50
Umbrella—Pine (Sciadopitys), 8-inch pot 4 to 5 ft.	4 00
7-inch pot $\dots 2\frac{1}{2}$ to 3 ft.	2-50
Yew—English, 5-inch pot	7.5
Irish, balled 7 to 8 ft.	3 00
Japan (Podocarpus nericifolia), 6-inch pot 2 to 3 ft.	1 00
	75
5-inch pot 2 to 3 ft.	(1)

EVERGREEN TREES AND SHRUBS

	Each.
Acacia—Armata, 5-inch pot 3 to 4	ft. 50
Cultriformis, 6-inch pot 4 to 6	ft. 7
5-inch pot 3 to 4:	ft. 50
Cyanophylla, 9-inch pot 4 to 6	ft. 50
Latifolia, 5-inch pot 4 to 5	ft. 6
5-inch pot 3 to 4	ft. 5
3-inch pot 3 to 4	ft. 4
3-inch pot $\ldots \ldots \ldots 2$ to $2\frac{1}{2}$:	ft. 2
Lopantha, 5-inch pot 4 to 5	ft. 5
Leucophylla, 7-inch pot 5 to 6	ft. 7
Macrademia, 4-inch pot 2 to 3	ft. 7
Melanoxylon, 4-inch pot 4 to 5	ft. 7
4-inch pot 3 to 4	4
3-inch pot 4 to 5	ft. 4
3-inch pot 3 to 4	ft. 3
2-inch pot 8 to 10 i	n. 2
Mollissima, 3-inch pot $1\frac{1}{2}$ to 2:	ft. 4
2-inch pot 4 to 6 i	p. 2
Molucanna, 2-inch pot 2 to 4 i	n. 2
Odoratissima, 4-inch pot $\dots \dots	1
Pinifolia, 10x12-inch box 5 to 6	
7-inch pot 5 to 6	ft. 7
6-inch pot 4 to 5	
4-inch pot 4 to 5	ft. 3
3-inch pot 3 to 4	ft. 2
Pycnantha, 6-inch pot 5 to 6	
	ft. 5
5-inch pot 2 to 3	ft. 4
4-inch pot $\dots \dots	
1	ft. 1 0
7-inch pot 5 to 6	
I amount in the second of the	ft. 5
P	ft. 4
4-inch pot 3 to 4	
Saliciana, 2-inch pot 4 to 6 i	
F	ft. 1 0
	ft. 6
F-1	
•	
2	ft. 5
Verticellata, 6-inch pot 4 to 5	
6-inch pot 3 to 4	ft. 4

	Each
	. 50
Aralia—Sieboldii, balled 2 to 3 ft.	1 50
6-inch pot 1 to $1\frac{1}{2}$ ft.	75
4-inch pot 10 to 12 in.	50
Sieboldii Variegata, 5-inch pot 8 to 12 in.	1 50
Arbutus—Unedo, balled 6 to 8 ft.	3 ()()
balled 4 to 6 ft.	1 ()()
balled 3 to 4 ft.	75
balled 2 to 3 ft.	50
Aucuba—Japonica, 10x10-inch box 2 to 3 ft.	-1.50
balled 3 to 4 ft.	1 - 50
balled $2\frac{1}{2}$ to 3 ft.	7.5
6-inch pot $\tilde{1}$ to $1\frac{1}{2}$ ft.	50
Viridis Latifolia, 10x10-inch box 3 to 4 ft.	1.50
balled 3 to 4 ft.	1 00
balled $2\frac{1}{2}$ to 3 ft.	50
6-inch pot \dots $\tilde{1}$ to $1\frac{1}{2}$ ft.	50
Andropagon—Citratus, 5-inch pot 2 to 3 ft.	50
Azalea—Indica	1 00
Azara—Microphylla 1 to $1\frac{1}{2}$ ft.	50
	1 00
1 11 1	75
	50
	75
4	1 00
1 11 1	75
Thumbergii, 4-inch pot 1 to $1\frac{1}{2}$ ft. balled 1 to 2 ft.	7.5 50
Blue Gum—See Eucalyptus.	,,()
	1 50
Box—Arborescens, balled	1 50
balled $1\frac{1}{2}$ to 2 ft.	75
Dwarf, per 10, \$2.00	25
Golden Variegated, balled 3 to 4 ft.	1 ()()
balled 2 to 3 ft.	7.5
Japan, Broad-leaved, balled	50
Japan, Narrow-leaved, balled 2 to 3 ft.	50
Sempervirens, balled 4 to 6 ft.	3 ()()
balled 3 to 4 ft.	1 ()()
balled 2 to 3 ft.	75
balled $1\frac{1}{2}$ to 2 ft.	50
Sempervirens Argentea, balled 3 to 4 ft.	1 00
balled 2 to 3 ft.	75
Sempervirens Oliefolia, balled 2 to 3 ft.	1 00
balled $1\frac{1}{2}$ to 2 ft.	75
Buddlea —Globosa, 7-inch pot $2\frac{1}{2}$ to 3 ft.	7.5

California Laurel—boxed 8 to 10 ft. balled 6 to 8 ft. balled 4 to 6 ft. balled 3 to 4 ft. 6-inch pot 18 to 24 in. California Evergreen Cherry—3-inch pot 12 to 15 in. California Wild Coffee—balled 3 to 4 ft. balled 2 to 3 ft. Camellia—Double Pink, balled 3 to 4 ft. balled 2 to 3 ft. balled 1½ to 2 ft. balled 1½ to 1½ ft. 7-inch pot 2 to 2½ ft. 6-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Double White, balled 3 to 4 ft. balled 2 to 2½ ft. 6-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Seedlings, balled 4 to 6 ft. balled 3 to 4 ft. Camphor Tree—balled 4 to 6 ft. balled 1 to 2 ft.	2 50 1 50 1 00 75 50 25 75 50 2 00 1 50 1 00 75 1 50 1 00
balled	1 00 75 50 25 75 50 2 00 1 50 1 00 75 1 50
balled	75 50 25 75 50 2 00 1 50 1 00 75 1 50
6-inch pot	50 25 75 50 2 00 1 50 1 00 75 1 50
California Evergreen Cherry—3-inch pot 12 to 15 in. California Wild Coffee—balled 3 to 4 ft. balled 2 to 3 ft. Camellia—Double Pink, balled 3 to 4 ft. balled 2 to 3 ft. balled 1½ to 2 ft. balled 1 to 1½ ft. 7-inch pot 2 to 2½ ft. 6-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Double White, balled 2 to 2½ ft. 6-inch pot 2 to 2½ ft. 6-inch pot 2 to 2½ ft. 6-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Seedlings, balled 4 to 6 ft. balled 3 to 4 ft. Camphor Tree—balled 4 to 6 ft.	25 75 50 2 00 1 50 1 00 75 1 50
California Wild Coffee—balled 3 to 4 ft. balled 2 to 3 ft. Camellia—Double Pink, balled 3 to 4 ft. balled 2 to 3 ft. balled 1½ to 2 ft. balled 1 to 1½ ft. 7-inch pot 2 to 2½ ft. 6-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Double White, balled 2 to 3 ft. 7-inch pot 2 to 2½ ft. 6-inch pot 18 to 24 in. 5-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Seedlings, balled 4 to 6 ft. balled 3 to 4 ft. Camphor Tree—balled 4 to 6 ft.	75 50 2 00 1 50 1 00 75 1 50
balled	50 2 00 1 50 1 00 75 1 50
Camellia—Double Pink, balled 3 to 4 ft. balled 2 to 3 ft. balled 2 to 2 ft. balled 1½ to 2 ft. balled 1 to 1½ ft. 7-inch pot 2 to 2½ ft. 6-inch pot 1 to 1½ ft. 7-inch pot 2 to 2½ ft. 6-inch pot 15 to 18 in.	2 00 1 50 1 00 75 1 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 50 1 00 75 1 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 00 75 1 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75 1 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 50
6-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Double White, balled 3 to 4 ft. balled 2 to 3 ft. 7-inch pot 2 to 2½ ft. 6-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Seedlings, balled 4 to 6 ft. balled 3 to 4 ft. Camphor Tree—balled 4 to 6 ft.	
5-inch pot 15 to 18 in. Double White, balled 3 to 4 ft. balled 2 to 3 ft. 7-inch pot 2 to 2½ ft. 6-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Seedlings, balled 4 to 6 ft. balled 3 to 4 ft. Camphor Tree—balled 4 to 6 ft.	1 ()()
Double White, balled balled balled 2 to 3 ft. 7-inch pot 2 to 2½ ft. 6-inch pot 5-inch pot 18 to 24 in. 5-inch pot 15 to 18 in. Seedlings, balled 4 to 6 ft. balled 3 to 4 ft. Camphor Tree—balled 4 to 6 ft.	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$
6-inch pot	$\frac{1}{1} \frac{50}{50}$
5-inch pot	1 00
Seedlings, balled	75
balled 3 to 4 ft. Camphor Tree—balled 4 to 6 ft.	5 00
Camphor Tree—balled 4 to 6 ft.	3 00
Camphot fice batted	75
balled	50
4-inch pot 8 to 12 in.	40
Then pot	50
Cassia—Corymbosa, 5-inch pot 3 to 4 ft.	50 50
Polyantha, 5-inch pot 3 to 4 ft.	50 50
Tomentosa, other pot	40
1-then pot	25
Florabunda, 2-inch pot 8 to 12 in. Carpenteria Californica—4-inch pot 10 to 12 in.	1 00
Casuarina—Cunninghami, 2-inch pot	25
Quadrivalvis, 2-inch pot	25
Ceanothus—Azureus Grandiflorus, 6-inch pot 2 to 3 ft.	1 00
Gloire de Versailles, 7 inch pot 4 to 5 ft.	1 50
6-inch pot 3 to 4 ft.	1 00
Thyrsiflorus, 7 inch pot 4 to 5 ft.	75
5-inch pot 2 to 3 ft.	50
Cestrum—Aurantiacum, 5-inch pot	50
Parqui, 4-inch pot 1 ft.	50
Choisya—Ternata, balled	50
2	
Cili istilias Deli y Dalica	1.00
balled $1\frac{1}{2}$ to 2 ft. balled 1 to $1\frac{1}{2}$ ft.	1 00

	Each.
Coronilla—Emerus, 5-inch pot 2 to 3 ft.	50
Corynocarpus—Lævigatus, balled 2 to 3 ft.	75
Cotoneaster—Microphylla, balled 2 to 3 ft. balled	75 50
Cratægus—Lalandi, balled 2 to 3 ft. balled	75 50 75
Pyracantha, balled 3 to 4 ft. balled 2 to 3 ft.	-50
Daphne—White, balled	$\begin{array}{c} 75 \\ 41 00 \\ 75 \end{array}$
7-inch pot $\dots \dots	1 00
Daphniphyllum - Macropodum, balled 3 to 4 ft.	2 00
Deeringia—Variegata, 5-inch pot 2 to 3 ft.	50
Diosma —Alba, balled	50 50
Duranta —Plumieri, 5 -inch pot	75 50
Eleagnus—Reflexa, balled 3 to 4 ft.	1 00
Escallonia—Berteriana, 5-inch pot 3 to 4 ft. 5-inch pot 2 to 3 ft.	75 50
4-inch pot 2 to $2\frac{1}{2}$ ft.	40
Leucantha, 5-inch pot 2 to 3 ft.	75
5-inch pot 1 to 2 ft.	50
Macrantha, 5-inch pot 3 to 4 ft 3 to 4 ft	75 50
4-inch pot 3 to 4 ft. Rubra, 4-inch pot 2 to 3 ft.	50
Eucalyptus —Citriodora (Lemon-scented), 6-inch pot . 4 to 5 ft.	50
Collossea, 6-inch pot 4 to 5 ft.	50
Cotryoides, 6-inch pot 4 to 5 ft.	50
Ficifolia (Scarlet-flowering), 5-inch pot . 2½ to 3 ft.	7.5
5-inch pot . $1\frac{1}{2}$ to 2 ft. Globulus (Blue Gum),	50
7-inch pot, per 10, \$4.00 4 to 5 ft.	50
4-inch pot, per 10, \$2.00 3 to 4 ft. Transplanted in boxes (of 100 each), 1 year, 6 to 8 inch; per box, \$2.50; per 1,000, \$20.	30
Robusta, 5-inch pot 5 to 6 ft.	50
5-inch pot 4 to 5 ft.	40
Rostrata, 4-inch pot 4 to 5 ft.	60
3-inch pot 3 to 4 ft.	50

	Each.
Eucalyptus—Sideroxylon (Red-flowering), 6-inch pot 4 to 5 ft	
5-inch pot 3 to 4 ft	25
Viminalis (Red Gum),	
6-inch pot 4 to 5 ft 4-inch pot, per 10, \$3.00 4 to 5 ft	
4-inch pot, per 10, \$3.00 4 to 5 ft 4-inch pot, per 10, \$2.00 3 to 4 ft	
Transplanted in boxes (of 100 each), 1	. 20
year old, 6 to 8 inch; per box, \$2.50;	
per 1,000, \$20.	
Viminalis Fertilis, 6-inch pot 5 to 6 ft	. 50
6-inch pot 4 to 5 ft	
5-inch pot 3 to 4 ft	t. 25
Eugenia—Australis, balled 2 to 3 ft	:. 75
Euonymus—Japonica, balled 2 to 3 ft	50
balled $1\frac{1}{2}$ to 2 fr	t. 25
Japonica Duc d'Anjou, balled $1\frac{1}{2}$ to 2 for	50
balled 1 to $1\frac{1}{2}$ for	t. 25
Japonica Golden-leaved, balled 3 to 4 ft	
balled 2 to 3 find the balled $1\frac{1}{2}$ to 2 find the balled $1\frac{1}{2}$ to $1\frac{1}{$	
Japonica Golden-margined, balled $1\frac{1}{2}$ to $1\frac{1}{2}$ fi	
Radicans Variegata, balled 2 to 3 ft	3
balled $1\frac{1}{2}$ to 2 for	t. 40
Silver Variegated, balled $\dots \dots 1\frac{1}{2}$ to 2 for	
balled 1 to $\frac{11}{2}$ from the second state of $\frac{1}{2}$ from the seco	
Fabiana—Imbricata, 4-inch pot 12×12 -inch box 4 to 6 ft 12×12 -inch box $1\frac{1}{2}$ to 2 ft	
Ficus—Elastica (Rubber Tree), 6-inch pot 2 to 3 ft	
6-inch pot $\cdot \cdot	
Macrophylla, 8-inch pot 3 to 4 f	
5-inch pot 1 to 2 f	t. 1 00
Garrya—Elliptica, 5-inch pot 3 to 4 ft	t. 1 00
Genista—Candicans 2 to 3 ft	t. 40
Grevillea —Robusta, 10x10-inch box 8 to 10 ft 6-inch pot 4 to 5 ft	
Guava—Strawberry, balled 1 to $1\frac{1}{2}$ from pot $1\frac{1}{2}$ to 2 from pot	
Yellow, 4-inch pot $\dots \dots	
Habrothamnus—Elegans, 6-inch pot 4 to 5 f	t. 75
5-inch pot 3 to 4 f	1
Fascicularis, 6-inch pot 4 to 5 f	
5-inch pot 3 to 4 f	t. 50

	Each.
Heath —Mediterranean, balled 1 to $1\frac{1}{2}$ ft.	50
6-inch pot \ldots $1\frac{1}{2}$ to $\bar{2}$ ft.	40
4-inch pot $\tilde{8}$ to 12 in.	25
Multiflora, balled 8 to 12 in.	50
3-inch pot 6 to 8 in.	40
Regerminans, balled 1 to $1\frac{1}{2}$ ft.	50
3-inch pot 8 to 12 in.	40
Vagans Alba, balled 8 to 12 in.	50
Holly-European, balled 8 to 10 ft.	8 00
balled 6 to 8 ft.	5 00
balled 4 to 6 ft.	3 00
balled 3 to 4 ft.	1 50
balled 2 to 3 ft.	1 00
balled	75
Golden Queen, balled 2 to $2\frac{1}{2}$ ft.	3 00
Golden-variegated, balled 2 to 3 ft.	3 00
balled $1\frac{1}{2}$ to 2 ft.	2 50
Silver-variegated, balled $\dots \dots	3 00
Hypericum—Morserianum, balled	75
balled 1 to $1\frac{1}{2}$ ft.	50
Hircinum, balled 2 to 3 ft.	50
Laurel—Camelifolia, balled 3 to 4 ft.	1 00
Elliptica, balled 3 to 4 ft.	1 00
balled 2 to 3 ft.	75
English, balled $1\frac{1}{2}$ to 2 ft.	50
English Large-leaved, balled $1\frac{1}{2}$ to 2 ft.	50
balled $\dots \dots 1$ to $1\frac{1}{2}$ ft.	40
Nobilis (Tree Form), boxed 7 to 8 ft.	5 00
balled 4 to 6 ft.	3 00
balled 3 to 4 ft.	1 00
Portugal, balled 1 to $1\frac{1}{2}$ ft.	75
Laurustinus—Common, balled 3 to 4 ft.	1 00
balled 2 to 3 ft.	60
1 11 1	50
balled 1 to 2 ft.	40
	$\frac{40}{25}$
	40
All and the second seco	25
7. 4	1 00
Roduntifolium, balled 3 to 4 ft. balled 2 to 3 ft.	50
	40
2 44	$\frac{40}{25}$
balled 1 to $1\frac{1}{2}$ ft.	
Variegated, balled 3 to 4 ft.	$\frac{1}{75}$
balled 2 to 3 ft.	75
balled 1 to $1\frac{1}{2}$ ft.	50
Ligustrum —Japanese, balled 3 to 4 ft.	50

·	Each.
Ligustrum—Sinensis, balled 2 to 3 ft.	75
balled $\ldots \ldots 1\frac{1}{2}$ to 2 ft.	50
Tricolor, balled	75
balled 2 to 3 ft.	50
Variegated, balled 8 to 10 ft.	$2 \ 50$
balled 6 to 8 ft.	1 50
balled 4 to 6 ft.	75
Loquat—Common, boxed 8 to 10 ft.	3 00
balled 6 to 8 ft.	1 50
balled 4 to 6 ft.	75
balled 3 to 4 ft.	50
7-inch pot 3 to 4 ft.	75
7-inch pot 2 to 3 ft.	50
Variegated, balled 4 to 6 ft.	1 50
balled 3 to 4 ft.	1 00
Magnolia—Grandiflora, 20x20-inch box 8 to 10 ft.	8 00
boxed 8 to 10 ft.	5 00
balled 6 to 8 ft.	3 00
balled 4 to 6 ft.	1 50
balled 3 to 4 ft.	1 00
balled 2 to 3 ft.	75
5-inch pot 2 to 3 ft.	50
Crispa, balled 6 to 8 ft.	4 00
La Gallisonniere, boxed 8 to 10 ft.	8 00
balled 6 to 8 ft.	6 00
Oxoniensis, Double White, boxed 10 to 12 ft.	10 00
boxed 8 to 10 ft.	8 00
balled 6 to 8 ft.	5 00
Præcox du Grand Jardin, boxed 8 to 10 ft.	8 00
balled 6 to 8 ft.	5 00
Præcox du Mans, boxed 8 to 10 ft.	8 00
balled 6 to 8 ft.	5 00
Mahonia—Aquifolia, balled 1 to $1\frac{1}{2}$ ft.	75
5-inch pot 8 to 12 in.	50
Beallei, balled 1 to $1\frac{1}{2}$ ft.	75
Fascicularis, balled 2 to 3 ft.	1 00
balled $1\frac{1}{2}$ to 2 ft.	75
balled $\frac{1}{1}$ to $\frac{1}{2}$ ft.	50
5-inch pot $\dots \dots 1$ to $1\frac{1}{2}$ ft.	50
Taponica, balled 1 to $1\frac{1}{2}$ ft.	50
Melaleuca—Decussata, 5-inch pot 2 to 3 ft.	75
4-inch pot	50
Ericifolia, 4-inch pot 1 to $\frac{1}{2}$ ft.	50
Styphilioides, 6-inch pot 4 to 5 ft.	75
	75
T. C.	
Metrocideros—Semperflorens, balled 2 to 3 ft.	75

	Each.
Metrocideros—Semperflorens, balled	50
balled \dots 1 to $1\frac{1}{2}$ tt.	40
Muelenbeckia platyclada—4-inch pot 2 ft.	75
Murraya—Exotica, 5-inch pot	1 00
Myrtle—Common, balled 1 to $1\frac{1}{2}$ ft.	50
3-inch pot 8 to 12 in.	40
Double-flowering, 6-inch pot $\dots \dots 1\frac{1}{2}$ to 2 ft.	50
Microphylla, balled 2 to 3 ft.	75
balled $1\frac{1}{2}$ to 2 ft.	50
balled 1 to $1\frac{1}{2}$ ft.	40
6-inch pot $1\frac{1}{2}$ to 2 ft.	50
Thymifolia, balled 3 to 4 ft.	75
balled 2 to 3 ft.	50
6-inch pot	50
Variegated, balled 3 to 4 ft.	75
balled 2 to 3 ft. 6-inch pot	50
NI 1 1 . 1 . 1 . 1	50
	1 00
balled $1\frac{1}{2}$ to 2 ft. 7-inch pot 2 to 3 ft.	$\begin{array}{c} 75 \\ 1 00 \end{array}$
Oak—(Quercus) Acuta, balled 3 to 4 ft.	1 00
balled 2 to 3 ft.	75
California Live Oak, balled 4 to 6 ft.	1 00
balled 3 to 4 ft.	75
balled 2 to 3 ft.	50
5-inch pot 2 to 3 ft.	50
Cork, boxed	3 00
balled 3 to 4 ft.	75
balled 2 to 3 ft.	50
5-inch pot 3 to 4 ft.	75
5-inch pot 2 to 3 ft.	50
Cuspidata, balled 4 to 6 ft.	1 50
Holly or Holm, balled 7 to 8 ft.	3 00
balled 6 to 7 ft.	2 00
balled 4 to 6 ft.	1 50
Olea—Fragrans, White, balled 2 to 3 ft.	1 00
5-inch pot \ldots $2\frac{1}{2}$ to 3 ft.	75
4-inch pot 1 to 2 ft.	-50
Fragrans, Yellow, balled 2 to 3 ft.	1 00
6-inch pot 2 to $2\frac{1}{2}$ ft.	75
5-inch pot 1 to 2 ft.	50
Oleander—Assorted, balled 4 to 6 ft.	1 50
balled 3 to 4 ft. balled 2 to 3 ft.	1 00
balled 2 to 3 ft. $\frac{1}{2}$ to 2 ft. $\frac{1}{2}$ to 2 ft. $\frac{1}{2}$	75 50
1 11 1	40
balled \ldots 1 to $1\frac{1}{2}$ it.	40

	Each.
Dr. Golfin, single, bright lilac rose; Double Pink; Lillian Henderson, double white; Madam Chas. Baltet, rosy carmine, semi-double; Madam Dubois, single, pure white; Madam Pyre, straw color, semi-double; Madonni Grandiflora, large white, semi-double; Prof. Durand, yellow, semi-double; Purpureum Grandiflorum, single, purple; Single White; Variegated, leaves variegated.	
Orange—Boquet des Fleurs, balled 4 to 5 ft.	3 00
balled 3 to 4 ft.	2 00
balled 2 to 3 ft.	1 00
Golden Variegated, balled 4 to 5 ft. balled 3 to 4 ft.	$\begin{array}{c} 3 & 00 \\ 2 & 00 \end{array}$
balled 2 to 3 ft.	$\frac{2}{1} \frac{00}{00}$
Seville, balled 2 to 3 ft.	1 00
Osmanthus—Aquifolia, 4-inch pot 2 to 3 ft.	50
4-inch pot 1 to 2 ft.	50
Marginata Alba, 3-inch pot 6 to 8 in.	50
Variegated Aurea, 3-inch pot 6 to 8 in.	50
Pepper Tree—6-inch pot 3 to 4 ft.	50
5-inch pot 2 to 3 ft.	40
4-inch pot 2 to 3 ft.	25
Photinia—Serrulata, balled 6 to 8 ft.	2 00
balled 4 to 6 ft.	1 50
balled 3 to 4 ft.	1 00
balled 2 to 3 ft.	75
balled $\dots \dots	50
5-inch pot 4 to 6 ft.	75
Pittosporum—Eugenioides, 10x12-inch box 5 to 6 ft.	1 50
boxed 8 to 10 ft. balled 6 to 8 ft.	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
balled 6 to 8 ft. balled, per 10, \$8.00 4 to 6 ft.	1 00
balled, per 10, \$6.00 3 to 4 ft.	75
balled, per 10, \$4.00 2 to 3 ft.	50
7-inch pot, per 10, \$8.00 . 5 to 6 ft.	1 00
5-inch pot, per 10, \$6.00. 4 to 5 ft.	75
5-inch pot, per 10, \$4.00 . 3 to 4 ft.	50
4-inch pot, per 10, \$3.00 . 2 to 3 ft.	40
3-inch pot, per 10, \$2.00 . 1 to $1\frac{1}{2}$ ft.	25
Nigracans, 10x12-inch box 6 to 7 ft.	$\begin{array}{c} 1 & 50 \\ 1 & 00 \end{array}$
balled 6 to 8 ft. balled 4 to 6 ft.	75
balled 3 to 4 ft.	50
balled, per 10, \$2.00 2 to 3 ft.	25
6-inch pot 4 to 5 ft.	75
Tobira, balled $1\frac{1}{2}$ to 2 ft.	50
balled $\overline{1}$ to $1\frac{1}{2}$ ft.	40

	Each.
Distance 70.1' 17 ' 4.1.11.1	= 5
Pittosporum—Tobira Variegated, balled 2 to 3 ft.	75
balled \dots $\frac{1}{2}$ to $\frac{2}{3}$ ft.	50
Privet—Ibota, balled 2 to 3 ft.	25
Raphiolepsis —Ovata, balled 1 to $l\frac{1}{2}$ ft.	50
Rhododendron —Grafted Varieties, balled 2 to $2\frac{1}{2}$ ft.	2 00
Ponticum, balled 3 to 4 ft.	2 00
balled 2 to 3 ft.	1 - 50
Rosemary—balled 1 to 2 ft.	25
Sterculia—Diversifolia (Brachychiton) (Bottle Tree)	
boxed 10 to 12 ft.	3 00
balled 8 to 10 ft.	2 50
balled 6 to 8 ft.	1 50
Veronica—Andersonii, balled 1 to $1\frac{1}{2}$ ft.	50
Decussata, balled $1\frac{1}{2}$ to $\frac{2}{2}$ ft.	40
5-inch pot	50
Imperialis, balled $\dots \dots	40
6-inch pot 2 to 3 ft.	50
Variegated, balled	50
balled 1 to $1\frac{1}{2}$ ft.	40
Viburnum—Awabuki, balled 3 to 4 ft.	1 00
balled 2 to 3 ft.	75
Ulex—Europæus (Furze) balled 2 ft.	50

EVEROREEN HEDGE PLANTS

	Each.
-	
Box—Dwarf, per 10, \$1.50	25
per 10, \$1.00; per 100, \$8.00 8 to 12 in.	20
per 10, \$0.75; per 100, \$6.00 6 to 8 in.	15
Cypress —Monterey, balled, per 10, \$1.50; per 100, \$12 1½ to 2 ft.	20
Transplanted in boxes (of 100 each) 1 year,	
per box, \$2.50; per 1,000, \$20 6 to 8 in.	
Hawthorn —per 10, \$2.00; per 100, \$15.00 1 to $1\frac{1}{2}$ ft.	25
Laurustinus —Common, balled $1\frac{1}{2}$ to 2 ft.	40
balled 1 to 2 ft.	25
Ligustrum—Japonicum (Japan Privet) Transplanted in	
boxes (of 100 each), per box, \$3.00 6 to 8 in.	
Privet—California, per 10, \$1.00; per 100, \$6.00 13 to 2 ft.	15
Evergreen, per 10, \$1.00; per 100, \$6.00 $1\frac{7}{2}$ to 2 ft.	15

DECIDUOUS FLOWERING SHRUBS

	Each.
Almond—Dwarf, Double White and Double Red 3 to 4 ft.	50
Althea—(Rose of Sharon) 3 to 4 ft.	50
$1\frac{1}{2}$ to 2 ft.	• 40
Double Pink, Double Red, Double White, Single White, Variegated, Violet, Semi-double.	
Apple Flowering— 4 to 6 ft.	75
Attended to the second of the	50
Atropurpurea, dark purple; Halleana, rose colored, semi-double. Bechtel's Double Rose 2 to 3 ft.	75
because s bounder Rose $1 \cdot 1 $	50
Scheideckers, (new) pink 6 to 8 ft.	1 00
4 to 6 ft.	75
3 to 4 ft.	50
Azalea—Mollis	75
Occidentale 2 to 3 ft.	75
Berberry—Common, yellow 4 to 6 ft.	50 40
	25
Purple-leaved, yellow 4 to 6 ft.	50
3 to 4 ft.	40
2 to 3 ft.	25
Broom—(Genista) Andreana, yellow and crimson 2 to 3 ft.	50
Scotch, yellow	50 50
Spanish, yellow 4 to 6 ft.	40
Portugal, white 2 to 3 ft.	50
Calycanthus—Floridus (Sweet Shrub), double purple 1 to $1\frac{1}{2}$ ft.	40
Præcox, yellow 2 to 3 ft.	. 50
Caragana — Siberian Pea Tree, yellow 6 to 8 ft.	75
Cercidiphyllum—Japonica 2 to 3 ft.	75
Ceanothus—Americanus, white	50
Chamæcerasus—Alberti, violet	40
Cherry—Flowering 4 to 6 ft.	75
	50
• 2 to 3 ft.	40
Japan Double Red; Large Double white; Single Red; Ranunculus Flowering, double white.	
Cherry—Japanese Weeping, rose colored 4 to 6 ft.	75
	50
Corchorus – Japonica, yellow 2 to 3 ft.	50

	Each.
Crape Myrtle—Crimson 1 to 2 ft	:. 50
Light Pink 2 to 3 ft	. 50
Pink 6 to 8 ft	. 75
4 to 6 ft	. 50
	. 40
Purple 2 to 3 ft	. 40
	. 50
Regia 2 to 3 ft	. 75
1	. 50
Scarlet	. 50
2 to 3 ft	. 75
White 1 to 2 ft	
Currant—Crimson Flowering 3 to 4 ft	
2 to 3 ft	
Gordonianum, pink 4 to 6 ft	
3 to 4 ft	
Yellow Flowering 4 to 6 ft	
Deutzia—Crenata, white 2 to 3 ft	
Fortunei, white 3 to 4 ft	
2 to 3 ft	
Gracilis, double white 2 to 3 ft	
cracins, double write	
Dogwood—Red Flowered	
Red Twigged	
Sanguinea, Reddish shoots 3 to 4 ft	
Siberica, white, red twigs 2 to 3 ft	
Elder—Cut-leaved	
Golden-leaved	-
Variegated	50
Exochordia —Grandiflora, white 4 to 6 ft	
Filbert—Purple leaved 3 to 4 ft	
Fuchsia—Ricartoni, red	
Formathia Dadami will an analysis of the state of the sta	
Forsythia—Fortunei, yellow 3 to 4 ft	
2 to 3 ft	
Suspensa, yellow 3 to 4 ft	
2 to 3 ft	
Hibiscus—Mutabilis, white, changing to red 4 to 6 ft	
2 to 3 ft	
Honeysuckle 3 to 4 ft	
2 to 3 ft	
Tartarian, pink; Tartarian, white; Grandiflora, red and white	
Hydrangea -Hortensis, rose color 1 to $1\frac{1}{2}$ ft	. 40

	Each.
Hydrangea—Hortensis, 6-inch pot 15 to 18 in.	50
Paniculata Grandiflora, white 1½ to 2 ft.	50
Ramulis Coccinea, deep rose, 6-inch pot 15 to 18 in.	50
Thomas Hogg, white 2 to 3 ft.	. 50
Variegated, pink, 7-inch pot 1½ to 2 ft.	. 40
Hypericum—Hircinum (St. John's Wort) 2 to 3 ft.	40
Lemon Verbena 4 to 6 ft.	50
3 to 4 ft.	40
Leycesteria—Elegans, reddish-purple 2 to 3 ft.	40
Lilac—Assorted 6 to 8 ft.	1 00
4 to 6 ft.	75
	50
2 to 3 ft.	40
Purple; White; Rothomagensis, red; Rubra de Marley, purple; Sanguinea, red.	
Lilac—Grafted Varieties 6 to 8 ft.	1 50
4 to 6 ft.	1 00
3 to 4 ft.	75
2 to 3 ft.	50
Frau Dammann, white; Chas. X., reddish purple; Chas. Joly, reddish purple; de Croncels, lilac; Gigantea, blue; Gloire de Lorraine, red and lilac; Gloire de Moulins, rosy lilac; Japonica, creamy white; Lemoinei, fl. pl., reddish purple; Ludwig Spath, purplish red; Michael Buchner, double, pale lilac; Persian, purple; Persian, cut-leaved, reddish purple; Pres. Massart, red and purple; Pres. Grevy, blue; Rubella, fl. pl., lilac; Rubra Insignis, red and purple; Virginalis, white; Villosa, purple and white.	
Magnolia—Gracilis, reddish purple 3 to 4 ft.	75
Kobus, blush white 6 to 8 ft.	1 50
Robus, blush white 4 to 6 ft.	1 00
3 to 4 ft.	75
Lennei, dark purple $\dots \dots 1\frac{1}{2}$ to 2 ft.	1 00
Purpurea, dark purple	75
Rubra, deep red	1 00
Rubia, deep ied 2 to 3 ft.	75
Soulangeana, white with purple 6 to 8 ft.	2 00
Soulangeana, white with purple 4 to 6 ft.	1 50
3 to 4 ft.	1 00
Maple—Japanese	1 00
	75
Atropurpureum; Atropurpureum dissectum; Atrosanguineum; Japonicum; Japonicum Variegatum.	,,,
Mock Orange—Coronarius, fragant, white 2 to 3 ft.	50
Coronarius fl. pl. Alba, double white . 2 to 3 ft.	50
Coronarius ir. pr. Arba, double white $\frac{1}{2}$ to $\frac{1}{2}$ to $\frac{1}{2}$ ft.	40
. <u>12</u> to 2 it.	40

	Each.
Mock Orange—Golden-leaved 2 to 3 ft.	50
Grandiflorus, white 4 to 6 ft.	50
3 to 4 ft.	40
Paliurus—Aculeatus (Christ's Thorn), yellow 3 to 4 ft.	50
Photinia—Villosa, flowers white, berries red 4 to 6 ft.	75
2 to 3 ft.	50
Plum—Triloba, double flowering, pink 4 to 6 ft.	50
The state of the s	40 50
Tomentosa (Japan), pink flowers, red fruit 2 to 3 ft. Poinciana—Gilliesii, yellow 4 to 6 ft.	50
Poinciana—Gilliesii, yellow 4 to 6 ft.	40
Pomegranate 4 to 6 ft.	75
3 to 4 ft.	50
2 to 3 ft.	40
Double Red, Double White, Dwarf, Mad. Legrelle.	70
Purple Fringe — (Smoke Tree) 4 to 6 ft.	75
3 to 4 ft.	50
2 to 3 ft.	40
Crimson, crimson flowers 4 to 6 ft.	75
3 to 4 ft.	50
Pyrus—Arbutifolia (Choke Berry) white 3 to 4 ft.	50
2 to 3 ft.	40
Quince—Japan Scarlet 4 to 6 ft.	60
	50
	25
Japan White	50
	25
Rhus—Glabra Laciniata 2 to 3 ft.	50
1	40
Radicans	50
Vernicifera 4 to 6 ft.	50
	40
Rhodotypus—Kerrioides, white 3 to 4 ft.	50
Rose Acacia—Rose-colored 6 to 8 ft.	75
4 to 6 ft.	50
Snowball	75
	50
	40 50
Snowberry—Variegated2 to 3 ft.Spirea—Antony Waterer, pink2 to 3 ft.	50
	50
	40
	50
	50
Reevesii fl. pl., white 3 to 4 ft.	50
Thunbergii, single white	40
Van Houttei, white 2 to 3 ft.	50
tan Aloutet, white	00

	Each.
Staphylea—Colchica, white 4 to 6 ft.	75
Pinnata, white 4 to 6 ft.	75
$1 \cdot 1 \cdot$	50
Styrax—Japonica, white 3 to 4 ft.	75
2 to 3 ft.	50
Tree Pæony—Assorted colors, purple, red, pink and white, \$1.00 to \$2.00 each.	
Viburnum—Dentatum, greenish white 3 to 4 ft.	75
Napalense, white 2 to 3 ft.	75
Plicatum (Japan Snowball) 2 to 3 ft.	75
Vitex—Agnus Castus (Chaste Tree) 2 to 3 ft.	40
Weigelia—Assorted 4 to 6 ft.	50
3 to 4 ft.	40
2 to 3 ft.	30
Abel Carriere, deep rose; Dr. Baillon, red; Hendersonii, deep	
rose; Lavellei, dark red; Rosea, rose colored; Van Houttei, car-	
mine; Variegated, white.	
White Fringe 3 to 4 ft.	50
Xanthoceras—Sorbifolia, white 18 to 24 in.	50

CLIMBING AND TRAILING SHRUBS AND PLANTS

	Each.
Akebia—Lobata, pale purple, 3-inch pot	40
Quinata, purple, 5-inch pot	50
Ampelopsis—Engelmanni, 6-inch pot	- 50
Quinquefolia (Virginia Creeper)	40
Veitchii (Boston Ivy)	50
Aristolochia—Elegans, 3-inch pot	50
Bignonia—Grandiflora (Trumpet Creeper), orange scarlet	50
Speciosa, mauve, 4-inch pot	75
Thunbergii, yellow.	50
Venusta, crimson, 4-inch pot	75
Bougainvillea—Glabra Sanderiana, deep rose, 3-inch pot	50
Spectabilis, deep rose, 5-inch pot	75
3-inch pot	50
Chorizema—Ilicifolia, yellow, 3-inch pot	40
Clematis—Duchess of Edinburgh, double white	1 00
Gem, lavender blue	- 75
Henryii, white	75

	Each.
Clematis—Jackmanii, intense violet	75
Jackmanii Alba, white	75
Kermesina, red	75
Madam Edouard Andre or Red Jackmanii	1 00
Madam Granger, crimson violet	75
Montana, white with pink	50
Paniculata, white	50
William Kennet, deep lavender	1 00
John Gould Veitch, double lavender blue	1 00
Gipsy Queen, velvety purple	75
Standishii light mauri	75
Standishii, light mauve	50
Cohma Sandara purala 2 inch pot	40
Cobæa—Scandens, purple, 3-inch pot	-
Decumeria—Barbarum, white, 4-inch pot	75
Dolichos - Lignosus (Australian Pea Vine), purple	40
Honeysuckle—Fuschioides, brilliant scarlet	50
Assorted	35
Aurea-reticulata, Chinese Evergreen, fragrant; Halleana, white;	
Sempervirens, Scarlet Trumpet.	
Ipomea—Mexicana, purple with crimson, (bulbs)	50
	40
Ivy—Giant, 4-inch pot	40
Irish, 4-inch pot	50
Variegated, 6-inch pot	50
Jasmine—Catalonian, fragrant, double white, 4-inch pot	50
Capensis, fragrant white, 4-inch pot	
Ligustrifolium, white, 6-inch pot	50
Nudiflorum, yellow	40
Officionale, white	40
Revolutum, yellow, 5-inch pot	50
balled 3 to 4 ft.	50
Lycium—Barbarum (Matrimony Vine), pink with	50
scarlet berries	50
Vulgare, purple 3 to 4 ft.	50
Kennedya—Rosea, rose-colored, 3-inch pot	40
Ovata, 3-inch pot	40
Rubicunda, dark red, 3-inch pot	50
Violacea Carulea, blue, 3-inch pot	50
Mandevillea—Sauveolens (Chili Jasmine), white, 3-inch pot	40
Manettia—Bicolor, scarlet, 4-inch pot	40
Passion Vine—4 and 5-inch pot	40
Coerulea, purple, white and blue; Colvillei, whitish with blue;	-10
Constance Elliott, white: Florabunda, white and purple: Jamesonii,	
pink; Pfordii, light purple; Tacsonia (Von Volxemi), scarlet;	
Buchanani, pink.	
Phaseolus—Caracalla (Snail Vine), 5-inch pot	75
Caracana (Shan vine), o-men pot	(1)

	Each.
,	
Phaseolus—Caracalla (Snail Vine), 3-inch pot	50
Physianthus—Albens, white, 6-inch pot	40
Silk Vine—(Periploca), purple	40
Smilax—5-inch pot	40
Solanum —Jasminoides, bluish white, 5-inch pot	40
Sollya—Heterophylla (Australian Bluebell), 5-inch pot	50
Swainsonia—Galegifolia Alba, white, 5-inch pot	50
3-inch pot	40
Grayana, pink, 5-inch pot	50
Tecoma—Australis, yellowish white with purple	75
Jasminoides, white and red, 6-inch pot	50
5-inch pot	40
Mackenii, 8-inch pot	75
Trumpet Vine—See Bignonia Grandiflora	
Virginia Creeper—See Ampelopsis Quinquefolia	
Vitis Heterophylla—(Japanese Grape)	50
Wistaria—Chinese Purple	50
Chinese Purple Double	
Chinese Purple Double	50
Chinese White	50
Magnifica, purplish white	40
Multijuga, light purple	50
Multijuga Alba, pure white	. 50

BAMBOO

	Each.
Aurea—balled, 8 to 12 shoots 4 to 6 ft.	1 50
balled, 6 to 8 shoots 3 to 4 ft.	1 00
Castillonis—(Phyllostachys), balled 6 to 8 ft.	2 00
Falcata—(Arundinaria), balled, 6 to 8 shoots 2 to 3 ft.	50
balled, 8 to 10 shoots 4 to 6 ft.	75
Hindsii—(Arundinaria), balled, 6 to 8 shoots 3 to 4 ft.	1 50
balled, 8 to 10 shoots 4 to 6 ft.	2 00
balled, 10 to 12 shoots 6 to 8 ft.	3 00
Metake—(Arundinaria), balled 4 to 6 ft.	75
balled 3 to 4 ft.	50
Palmata—(Bambusa), balled, 6 to 8 shoots 2 to 3 ft.	2 50
Nigra—(Phyllostachys), balled, 4 to 6 shoots 3 to 4 ft.	75
balled, 6 to 8 shoots 4 to 6 ft.	1 00
balled, 8 to 10 shoots 6 to 8 ft.	1 50

	Each.
Simoni—(Bambusa), balled, 3 to 4 shoots 2 to 3 ft.	75
balled, 4 to 6 shoots 4 to 6 ft.	1 50
balled, 6 to 8 shoots 6 to 8 ft.	2 00
Tesselata	2 00
Verticellata—6 to 8 shoots 4 to 6 ft.	2 00
4 to 6 shoots 3 to 4 ft.	1 50
Viridis Striata—(Glaucescens), balled, 12 to 15 shoots, 10 to 12 ft.	3 00
balled, 8 to 12 shoots, 8 to 10 ft.	2 00
balled, 6 to 8 shoots, 6 to 8 ft.	1 00
balled, 4 to 6 shoots, 4 to 6 ft.	75

PALMS, DRACAENAS, AGAVES, YUCCAS, ETC.

PALMS

Palms have now become almost indispensable in all decorations, whether for apartments, or conservatories, or the production of tropical effects in landscapes. When planted out, no class of plants make such a grand display, and none are of more easy culture. Rich soil, mulching, and water-

ing will in a short time produce grand specimens.

While our main stock of these highly desirable garden ornaments is grown in the open ground, thereby obtaining the finest plants, we also cultivate more or less of each variety in pots or boxes. These are well-established, well-furnished specimens, suitable for hall or house decorations, or, where immediate effect is desired out-of-doors, they can be used to great advantage, being almost absolutely safe from any set-back. We distinguish the hardy sorts with an *.

A list of large specimen plants, of palms, etc., not enumerated in this. catalogue, will be mailed upon application.

	Each.
Areca—Lutescens, 10-inch pot	4 00
6-inch pot 2 ft.	1 50
5-inch pot 18 to 24 in.	1 00
*Chamærops—Argentea, balled 3 to 4 ft.	3 00
balled 2 to 3 ft.	2 00

	Each.
*Chamærops—*Excelsa (Japan Fan Palm), boxed 8 to 10 ft.	10 00
boxed 7 to 8 ft.	8 00
balled 6 to 7 ft.	6 00
balled 5 to 6 ft.	3 00
balled 3 to 4 ft.	1 50
14x14-in. box, 24 to 30-in. trunk 6 to 7 ft.	5 00
10×10 -in. box, stocky 5 to 6 ft.	3 00
10×10 -in. box, stocky 4 to 5 ft.	2 00
10-inch pot \ldots $2\frac{1}{2}$ to 3 ft.	1 50
*Fortunei, balled 5 to 6 ft.	5 00
balled 4 to 5 ft.	3 00
balled 3 to 4 ft.	2 00
balled 2 to 3 ft.	1 00
10-inch pot $\ldots 2\frac{1}{2}$ to 3 ft.	1 50
8-inch pot $\dots \dots 1\frac{1}{2}$ to 2 ft.	1 00
*Humilis (Dwarf Palm), balled 3 to 4 ft.	2 50
balled 2 to 3 ft. 14×14 -in, box 3 to 4 ft.	$\begin{array}{c} 1 & 50 \\ 2 & 50 \end{array}$
$19x14-in$, box 3 to 4 it. $10x10-in$, box $2\frac{1}{5}$ to 3 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	1 00
*Nepalensis, boxed 7 to 8 ft.	8 00
balled 6 to 7 ft.	6 00
balled 5 to 6 ft.	4 00
balled 4 to 5 ft.	3 00
balled 3 to 4 ft.	2 50
balled 2 to 3 ft.	1 50
12x12-in. box, 15 to 18-in. trunk 4 to 5 ft.	3 00
10x10-in. box, 8 to 10-in. trunk 3 to 4 ft.	2 50
10-inch pot 3 to 4 ft.	3 00
9-inch pot $\ldots, \ldots, 2\frac{1}{2}$ to 3 ft.	2 00
8-inch pot \ldots $\tilde{2}$ to $2\frac{1}{3}$ ft.	1 50
Tomentosa, balled 3 to 4 ft.	3 00
balled 2 to 3 ft.	1 50
balled $1\frac{1}{2}$ to 2 ft.	1 00
*Cocos—Australis, balled	3 00
Corypha—Australis, 8-inch pot 2 ft.	1 50
*Erythea—Armata (Blue Palm), balled 3 to 4 ft.	3 00
balled \ldots 2 to 3 ft.	250
*Edulis (Guadalupe Island Palm), boxed . 9 to 10 ft.	10 00
boxed. 8 to 9 ft.	8 00
boxed . 7 to 8 ft.	6 00
boxed . 5 to 6 ft.	4 00
balled . 3 to 4 ft.	2 50
balled . 2 to 3 ft.	1 50
balled $1\frac{1}{2}$ to 2 ft.	1 00
14x16-inch box 5 to 6 ft.	5 00
14×16 -inch box 4 to 5 ft.	4 00

	Each.
*Jubea—Spectabilis, balled 2 to 3 ft.	6 00
balled $1\frac{1}{2}$ to 2 ft.	3 00
Kentia—Belmoriana, 10-inch pot 30 to 36 in.	4 00
5-inch pot 8 to 12 in.	1 00
3-inch pot 8 to 10 in.	75
Forsteriana, 7-inch pot 30 to 36 in.	3 00
6-inch pot	1 50
5-inch pot 10 to 12 in.	75
Latania—Borbonica, 9-inch pot	4 00
Levistona—Rotundifolia, 7-inch pot 20 to 24 in.	1 50
*Phœnix—Canariensis (Canary Date Palm),	
balled 7 to 8 ft.	6 00
balled 5 to 6 ft.	4 00
balled 3 to 4 ft.	2 50
balled 2 to 3 ft.	1 00
balled $\dots \dots	75
20×20 -inch box 6 to 7 ft.	10 00
18x18-inch box 6 to 7 ft.	6 00
16×18 -inch box 5 to 6 ft.	5 00
8-inch pot 2 to $2\frac{1}{2}$ ft.	1 00
7-inch pot	75
*Dactylifera (Date Palm), boxed 7 to 8 ft.	6 00
balled 6 to 7 ft.	5 00
balled 5 to 6 ft.	3 00
balled 4 to 5 ft.	2 00
8-inch pot 1 to 1½ ft.	1 00
Reclinata, 14x16-inch box 4 to 5 ft.	3 00
14x14·inch box 3 to 4 ft. 8-inch pot 2 to $2\frac{1}{2}$ ft.	2 50 1 50
	1 00
5-inch pot	
*Pritchardia—Filifera (California Fan Palm) 6 to 7 ft.	6 00
balled 5 to 6 ft. balled 4 to 5 ft.	$\frac{5}{3} \frac{00}{00}$
balled 4 to 5 ft. balled 3 to 4 ft.	$\frac{3}{2} \frac{00}{00}$
balled 2 to 3 ft.	$\frac{2}{1} \frac{00}{00}$
14x14-inch box 4 to 5 ft.	. 5 00
12x12-inch box 3 to 4 ft.	3 00
3-inch pot \dots $1\frac{1}{2}$ to 2 ft.	50
	3 00
*Sabal—*Blackburniana, balled 2 to 3 ft. *Mexicana, balled 2 to 3 ft.	3 00
*Palmetto, balled 4 to 6 ft.	4 00
balled 2 to 3 ft.	3 00
*Washingtonia —Sonoræ (Washington Palm),	0.00
boxed 8 to 9 ft.	8 00
boxed 7 to 8 ft.	6 00

										Each.
*Washingtonia—Sonoræ (W	ashing	ton	Pal	lm)	,					
box	ed			,			6 t	0	7 ft.	5 00
bal	ed						-5 t	0	6 ft.	3 00
bal	led						4 t	0	5 ft.	2 00
	led .						3 t	0	4 ft.	1 50
bal	led						2 t	0	3 ft.	1 00
	18-inc						7 t	0	8 ft.	6 00
162	18-inc	h b	ox				5 t	0	6 ft.	5 00
	14-inc							0	5 ft.	3 00
	14-inc								4 ft.	2 50
	12-inc							0	4 ft.	2 00
	10-inc						_	_	4 ft.	1 50
	nch p									1 50
	nch p									1 00

DRACAENAS

	Each.
Dracænas—Australis, boxed	. 15 00
boxed 10 to 12 ft	. 10 00
boxed 8 to 10 ft	. 8 00
balled 5 to 6 ft	2 50
balled 4 to 5 ft	. 1 50
balled 3 to 4 ft	. 1 00
balled 2 to 3 ft	. 75
5-inch pot 1 to 2 ft	. 50
Fosterii, boxed 10 to 12 ft	10 00
boxed 8 to 10 ft	8 00
balled 5 to 6 ft	
balled 4 to 5 ft	2 00
balled 3 to 4 ft	1 50
5-inch pot 1 to 2 ft	50
Indivisa, boxed 8 to 10 ft	
balled 5 to 6 ft	
balled 4 to 5 ft	
balled 3 to 4 ft	
balled 2 to 3 ft	
5-inch pot 1 to 2 ft	

AGAVES

	Each.
gave—Americana (Century Plant), balled 2 to 3 ft.	2 00
balled \ldots $1\frac{1}{2}$ to 2 ft.	1 50
balled $\overline{1}$ to $1\frac{1}{2}$ ft.	1 00
balled 6 to $1\overline{2}$ in.	50
Americana Variegata, balled 2 to 3 ft.	2:00
balled $1\frac{1}{2}$ to 2 ft.	1 50
balled $\overline{1}$ to $1\frac{1}{2}$ ft.	1 0
balled 6 to $1\bar{2}$ in.	50
Coerulescens, balled 6 to 12 in.	$[-1 \ 0]$
Ferox, balled 1 to $1\frac{1}{2}$ ft.	1 00
Shawii, balled 6 to 12 in.	1 00
Sisalana, balled 2 to 3 ft.	1 5
balled 1 to $1\frac{1}{2}$ ft.	100

YUCCAS, DASYLIRION AND NOLINA

	Each.
Yucca—Alœfolia Rubra, balled 3 to 4 ft.	1 50
balled 2 to 3 ft.	1 0
balled $1\frac{1}{2}$ to 2 ft.	7.
balled 1 to $1\frac{1}{2}$ ft.	50
Alæfolia Quadricolor, balled 1 to $1\frac{1}{2}$ ft.	2 00
balled 6 to 12 in.	1 0
Alæfolia Variegated, balled 2 to 3 ft.	+2.00
balled $\dots \dots 1\frac{1}{2}$ to 2 ft.	1 5
balled $\tilde{1}$ to $1\frac{1}{2}$ ft.	1 0
Filamentosa, balled 1 to $1\frac{7}{2}$ ft.	5
Pendula, balled 2 to $\tilde{3}$ ft.	1 0
balled $l\frac{1}{2}$ to 2 ft.	5
Plicata, balled $1\frac{7}{2}$ to 2 ft.	1 0
balled 1 to $1\frac{1}{2}$ ft.	5
Dasylirion—Glauca, balled 2 to 3 ft.	1 0
Gracilis, balled 2 to 3 ft.	1 0
balled $1\frac{1}{2}$ to 2 ft.	7
Longifolium, balled 3 to 4 ft.	2 5
Serratifolium, balled 3 to 4 ft.	2 5
Nolina—Beldingi, balled 4 to 6 ft.	3 0
balled	2 0
balled 2 to 3 ft.	1 5

ROSES

We make the growing of roses a specialty, and, in order to supply the increasing demand for this most beautiful flower, make careful tests of all the new varieties introduced, retaining only such kinds as prove meritorious. With our large stock and abundant facilities, we are thus enabled to offer a collection adapted to various localities and one that can not fail to please the most fastidious grower. All our plants are grown entirely in the open ground, and consequently do not require the careful nursing, in order to insure success, which must be given to those propagated under glass in three months' time and sold at low rates. In the hands of rose lovers they can not fail to give entire satisfaction the first summer after planting. From November to March they can be shipped in a dormant state packed in moss. For culture best adapted to each class, we refer to our Descriptive Catalogue, No. 2. The varieties which we can supply in Tree Roses will be found listed separately. For the convenience of our customers, we have arranged all our roses alphabetically in their various classes.

NEW ROSES

Price, each, 50 cents.

- Crimson Hermosa (Gruss an Teplitz)—"The reddest of all red roses." In color the richest scarlet, shading to a velvety crimson as the flower matures; in size it is larger than Hermosa; very fragrant, free strong grower, and most profuse bloomer.
- Balduin (Helen Gould)—An excellent variety, with large full flowers of fine form; bright glowing carmine; a free and continuous bloomer.
- Dorothy Perkins—Large clusters of double flowers, soft light pink, fragrant and lasting.
- **Gardenia**—Flowers bright yellow, changing to a cream color when open; very fragrant; free bloomer.
- Ivory—A sport from Golden Gate, with large pure white flowers.
- Liberty—One of the finest early-flowering roses; in color a warm rich crimson scarlet; surpassing its rival, the well-known Meteor, in abundance of bloom, size, and color.
- Queen of Edgely or Pink American Beauty—A sport of American Beauty; color a bright pink; flowers large and deep cup shaped; very fragrant, like its parent.
- Soleil d'Or—The first of a new class of roses between the Persian Yellow and the Hybrid Perpetual Antoine Ducher. Large globular flowers, varying in color from gold and orange to reddish gold shaded with nasturtium red.

GENERAL COLLECTION

Price, 25 cents each; per 10, \$2.00.

TEA OR EVERBLOOMING

Amazone, yellow, veined with rose. Anna Oliver, creamy blush shaded with carmine. Annie Cook, delicate pink. Beaute Inconstante, bright red, shaded yellow. Belle Lyonnaise, lemon yellow. Bon Silene, deep rose. Bougere, bronze rose, shaded lilac. Bridesmaid, bright pink. Catherine Mermet, pink, shaded amber. Chas. Rovolli, brilliant carmine. Christine de Noue, deep red. Climbing Devoniensis, creamy white. Climbing Niphetos, white. Climbing Perle des Jardin, deep yellow. Climbing Souv. de Wooton, magenta red. Climbing White Pet, white. Comtesse de Frigneuse, canary yellow. Comtesse Riza du Parc, coppery rose, shaded crimson. Coquette de Lyon, canary yellow. Cornelia Cook, creamy white. Devoniensis, creamy white, rosy center. Doctor Grill, coppery yellow, tinged rose. Duchesse de Brabant, soft silvery blush. Duchess of Edinburg, rosy crimson. Elie Beauvillian, rosy white. Eliza Sauvage, yellow to white. Etoile de Lyon, chrome yellow. Gloire de Dijon, fawn, tinted salmon. Golden Gate, rich creamy white. Gold of Ophir, salmon and fawn. Grace Darling, porcelain rose, shaded crimson. Homer, rosy pink, shaded salmon. Jules Finger, bright scarlet. La France, silvery rose. La Sylphide, blush, with fawn center. Letty Coles, rosy pink, shaded crimson. Luciole, carmine rose, tinted saffron. Mad. Che. Guinosseau, golden yellow. Mad. Devacout, canary yellow. Mad. de Vatry, rich crimson scarlet. Mad. de Watteville, vellow, tinged carmine, edged crimson. Mad. Falcot, nankeen yellow. Mad. Hoste, canary yellow. Mad. Jos. Schwartz, pure white. Mad. Lambard, rosy bronze, shaded carmine. Mad. M. Kuppenheim, canary yellow, shaded pink. Mad. Scipion Cochet, creamy rose, crimson center. Mad. Welch, pale yellow. Mammon Cochet, carmine rose, shaded salmon. Marie Van Houtte, white, tinged yellow. Marquise de Vivens, violet crimson, center yellow. Maurice Rouviere, rose, shaded red. Niphetos, pure white. Papa Gontier, brilliant carmine. Perle des Jardin, deepest yellow. President, rosy crimson, shaded red. Princess de Sagan, velvety crimson, shaded purple. Princess Stephanie, salmon yellow, tinted crimson. Princess of Wales, rosy yellow, golden center. Rainbow, pink, striped carmine. Reine Marie Henriette, cherry red. Reine Olga de Wurtemberg, rosy flesh, tinged salmon. Safrano, buff, shaded yellow. Shirley Hibbard, nankeen yellow. Souv. de Lady Ashburton, coppery red, tinged yellow. Souv. de Victor Hugo, bright rose. Souv. de Wooton, red. Souv. d'Un Ami, pale rose. Sunset, rich golden amber. The Bride, pure white. The Queen, pure white. Triomphe du Luxenbourg, buff rose. Viscountess Folkestone, creamy pink. W. F. Bennett, brilliant crimson. White Bon Silene, creamy white.

HYBRID TEA

Augustine Guinosseau (White La France), white, rose tinted blush. Belle Siebrecht, solid pink of richest shade. Cheshunt Hybrid, red, shaded violet. Duchess of Albany (Red La France), dark pink. Kaiserin A. Victoria, pure ivory white. Mad. Caroline Testout, clear pink. Meteor, velvety crimson. Puritan, pure white. Souv. de Pres. Carnot, pink and white. Triomph de Pernet Pere, bright red.

HYBRID PERPETUAL

American Beauty, deep rose. American Belle, shaded pink. Anna Alexieff, rose color. Anna de Diesbach, carmine. Antoine Mouton, bright rose. Baroness Rothschild, light pink. Baron de Bonstettin, dark red, almost black. Baron N. de Rothschild, bright carmine. Black Prince, dark crimson. Captain Christy, flesh color, rosy center. Cardinal Patrizzi, velvety crimson. Charles Dickens, rose color. Chas. Lefebre, brilliant red. Dinsmore, crimson scarlet. Duke of Edinburgh, bright crimson. Earl Dufferin, rich velvety crimson. Empereur du Maroc, deep velvety crimson. Fisher Holmes, bright scarlet. General Jacqueminot, brilliant crimson scarlet. General Washington, brilliant rosy crimson. Giant of Battles, brilliant fiery crimson. Gloire Lyonnaise, salmon yellow. Gloire de Margottin, dazzling red. Glory of Cheshunt, rich crimson. Glory of Waltham, brilliant crimson, red center. Her Majesty, delicate pink, shaded salmon. Jean Liabaud, bright crimson, shaded violet. John Hopper, deep rose, crimson center. Lady Helen Stewart, bright scarlet crimson. Lady Mary Fitzwilliam, flesh color. Mabel Morrison, white, flushed with pink. Mad. Chas. Wood, brilliant red. Mad. Gabriel Luizet, clear coral pink. Magna Charta, rosy red. Marchioness of Lorne, rose, carmine center. Margaret Dickson, white. Marie Baumann, crimson vermilion. Marshall P. Wilder, cherry carmine. Merville de Lyon, pure white. Mrs. John Laing, clear bright pink. Paul Neyron, dark rose. Prince Camille de Rohan, deep velvety crimson. Rosy Morn, salmon rose. Silver Queen, silvery blush. Ulrich Bruner, cherry red. Vick's Caprice, pink, striped with carmine. Victor Verdier, rosy carmine, edged purple. White Baroness, pure white. Xavier Olibo, shaded black.

MOSS

Captain John Ingram, dark velvety purple. Elizabeth Rowe, bright pink. Etna, bright crimson, shaded purple. Glory of Mosses, pale rose. James Veitch, violet, shaded crimson. Laneii, red, shaded purple. Luxembourg, crimson scarlet. Mousseline, white, shaded rose. Prolific, or Perpetual White, white. Salet, light rose.

NOISETTE, OR CHAMPNEY

Aimee Vibert, pure white. Celine Forestier, pale yellow. Claire Carnot, pale yellow. Climbing Aimee Vibert, pure white. Cloth of Gold, deep yellow. Lamarque, white. L'Ideal, coppery rose. Marechal Niel, deep golden yellow. Reve d'Or, deep yellow. Solfaterre, sulphur yellow. William Allen Richardson, orange yellow.

BOURBON

Gloire des Rosamanes, brilliant crimson. Hermosa, bright rose. Mrs. Bosanquet, flesh color. Red Bourbon, dark red crimson. Santa Rosa, shell pink, inclining to crimson. Souv. de la Malmaison, flesh color, tinted fawn.

POLYANTHA

Crimson Rambler, bright crimson. Clotilde Soupert, red and white. Etoile d'Or, chrome yellow, red center. Mlle. Cecile Bruner, rosy pink. Mignonette, clear pink, changing white. Perle d'Or, coppery gold, changing fawn. Pink Soupert, pale pink, changing red. Polyantha Grandiflora, pure white.

BENGAL OR CHINA

Agrippina, rich crimson. James Sprunt, crimson.

PRAIRIE

Baltimore Belle, pale blush. Greville, or Seven Sisters, from white to crimson. Prairie Queen, bright pink, white stripe.

PROVENCE OR CABBAGE

Belle des Jardins, purplish red, with white. Common Provence, or Cábbage Rose, rose color. Tricolor des Flanders, white, striped with red, purple, and violet.

BANK SIA

Single White. Double White. Double Yellow.

AUSTRIAN

Austrian Copper, yellow and red. Harrisonii, golden yellow. Persian Yellow, bright yellow.

JAPAN OR RUGOSA

Belle Potevine, pink. Chedanne Guinosseau, rose color. Rugosa Alba, single white. Rugosa Alba Plena, double white. Rugosa Rubra, deep rose, tinged violet.

Rosa Wichuraiana (Memorial Rose), pure white.

HYBRID WICHURAIANA

Manda's Triumph, double white. Pink Roamer, light pink. South Orange Perfection, double blush pink, changing white. Universal Favorite, double rose.

MISCELLANEOUS

Cherokee, double white. Cherokee, single white. Dundee Rambler, white, tinged rose. Empress of China, dark red, changing to lighter red. Fortunes Yellow, yellowish orange. Musk Fringed, white. River's Musk, pink, shaded buff. Amy Robsart, deep rose. Anna of Gierstein, dark crimson. Flora McIvor, white, tinted rose. Lady Penzanze, fawn, changing to copper. Sweet Briar, single pink. White Rambler, Yellow Rambler.

CLIMBING ROSES

These will be found described in the various preceding classes to which they belong. We collect them under this heading for the convenience of our patrons. They are very useful, and highly valued for training over arbors, trellises, and verandas, and as screens for unsightly objects, such

as fences, walls, etc., they can not be surpassed.

Baltimore Belle, Prairie. Celine Forestier, Noisette. Cherokee Double. Cherokee Single. Claire Carnot, Noisette. Climb. Devoniensis, Tea. Climb. Perle des Jardin, Tea. Climb. Souv. de Wooton, Tea. Climb. White Pet, Tea. Cloth of Gold, Noisette. Crimson Rambler, Polyantha. Double Cherokee. Dorothy Perkins, Hyb. Wich. Dundee Rambler, Ayrshire. Empress of China, Fortunes Yellow. Gardenia, Hyb. Wich. Gloire de Dijon, Tea. Gloire de Margottin, Hyb. Per. Glory of Waltham, Hyb. Per. Gold of Ophir, Tea. Greville, or Seven Sisters, Prairie. Lamarque, Noisette. L'Ideal, Noisette. Mandas Triumph, Hyb. Wich. Marechal Niel, Noisette. Polyantha Grandiflora, Polyantha. Pink Roamer, Hyb. Wich. Prairie Queen, Prairie. Reine Marie Henriette, Tea. Reine Olga de Wurtemberg, Tea. Reve d'Or, Noisette. South Orange Perfection, Hyb. Wich. Single White Banksia. White Rambler, Wichuraiana, Wich. W. A. Richardson, Noisette. Yellow Banksia, Banksia.

TREE ROSES

Price, \$1.00 each.

TEA OR EVERBLOOMING

Amazone, yellow. Anna Oliver, creamy blush. Annie Cook, pink. Belle Lyonnaise, lemon yellow. Bon Silene, deep rose. Bougere, bronze rose. Catherine Mermet, shining pink, shaded amber center. Comtesse de Frigneuse, canary yellow. Comtesse Riza du Parc, bright coppery rose, shaded crimson. Coquette de Lyon, canary yellow. Cornelia Cook, creamy white. Devoniensis, creamy white, rosy center. Doctor Grill, coppery yellow, tinged rose. Duchess de Brabant, silvery blush, changing rose. Duchess of Edinburgh, rosy crimson. Eliza Sauvage, yellow to white. Gloire de Dijon, fawn, tinted salmon. Gold of Ophir, salmon and fawn. Grace Darling, porcelain rose, shaded crimson. Homer, rosy pink, shaded salmon. La France, silvery rose, changing pink. La Sylphide, blush, fawn center. Letty Coles, rosy pink, shaded crimson. Mad. Ch. Guinosseau, golden yellow. Mad. de Watteville, creamy yellow, tinged carmine. Mad. Falcot, nankeen to yellow. Mad. Jos. Schwartz, pure white. Mad. Lambard, rosy brouze, shaded carmine. Mad. Maurice Kuppenheim, canary yellow, tinged pink. Mad. Scipion Cochet, creamy rose, crimson center. Mad. Welch, pale yellow, orange center. Marie Lambert, flesh color. Marie Van Houtte, white, tinged yellow. Niphetos, pure white. Papa Gontier, brilliant carmine. Perle des Jardin, deep yellow. President, rosy crimson, changing carmine. Princess Stephanie, salmon yellow. Reine Marie Henriette, cherry red. Safrano, buff, shaded yellow. Shirley Hibbard, nankeen yellow. Souv. de Wooton, red. Souv. d'Un Ami, pale rose, tinged salmon. Sunset, golden amber. The Bride, pure white. Triomphe de Luxembourg, buff rose. Viscountess Folkestone, creamy pink. W. F. Bennett, brilliant crimson.

HYBRID TEA

Cheshunt Hybrid, red, shaded violet. Duchess of Albany, or Red La France, dark pink.

HYBRID PERPETUAL

American Beauty, deep rose. Anna de Diesbach, carmine. Baroness Rothschild, rose, shaded white. Baron de Bonstettin, dark red. Baron N. de Rothschild, bright carmine. Black Prince, velvety crimson. Captain Christy, flesh color. Empereur du Maroc. Fisher Holmes, scarlet. General Jacqueminot, crimson scarlet. General Washington, brilliant crimson. Gloire de Margottin, dazzling red. Her Majesty, bright pink, shaded salmon. Jean Liabaud, bright crimson. John Hopper, deep rose, crimson center. Mabel Morrison, white, flushed pink. Mad. Gabriel Luizet, coral pink. Marchioness of Lorne, rose color, carmine center. Merveille de Lyon, white, shaded rose. Paul Neyron, dark rose. Xavier Olibo, scarlet, shaded black.

NOISETTE OR CHAMPNEY

Celine Forestier, pale yellow. Claire Carnot, yellow, bordered rose. Cloth of Gold, deep yellow. Lamarque, white. Marechal Niel, golden yellow. Reve d'Or, deep yellow. William Allen Richardson, orange yellow.

BOURBON ROSES

Hermosa, bright rose. Mrs. Bosanquet, flesh color. Souvenir de la Malmaison, flesh color.

POLYANTHA

Mademoiselle Cecil Bruner, rosy pink.

BENGAL OR CHINA

Agrippina, velvety crimson. James Sprunt, crimson.

DECORATIVE BEDDING AND BORDER PLANTS

	Each.
Abutilon (Chinese Bell-flower, Flowering Maple)	25
orange veined; Souv. de Bonn, orange red.	25
Achania—Malviviscus (Turk's Cap), scarlet	$\frac{25}{25}$
Achillea—The Pearl, large white flowers	40
Anemone—Japonica, purplish rose	40
Alba, white.	1 00
Anthurium (Scherzerianum)—Brilliant scarlet flowers, 5-inch pot.	1 00
Armeria (Sea Pink)—Rose, in boxes of 50 each, per box, \$2.00; per	
10, 75 cents	
Arundo—Donax	25
6-inch pot	50
Donax Variegated	25
6-inch pot	50
Asparagus—Plumosus, 5-inch pot	50
3-inch pot	40
Plumosus Nanus, 5-inch pot	50
3-inch pot	40

Asparagus—Sprengerii, 8-inch pot 6-inch pot 5-inch pot Hanging basket Aspidistra—Lurida, 6-inch pot 5-inch pot Lurida Variegata, 6-inch pot 5-inch pot 8anana—Abyssinian (Musa Ensete), 8-inch pot Rex, 4 and 5-inch pots Rex, 4 and 5-inch pots Bocconia—Cordata (Plume Poppy), white Brugmansia—Knightii, double white, 6-inch pot Canna—New Cinnabar, cinnabar red; Mrs. Kate Gray, orange scarlet, over-	oh		
6-inch pot. 5-inch pot. 3-inch pot. Hanging basket. Aspidistra—Lurida, 6-inch pot. 5-inch pot. Lurida Variegata, 6-inch pot. 5-inch pot. 5-inch pot. Banana—Abyssinian (Musa Ensete), 8-inch pot. 3 to 4 ft. Begonia—Flowering, assorted, 4 and 5-inch pots. Rex, 4 and 5-inch pots. Bocconia—Cordata (Plume Poppy), white. Brugmansia—Knightii, double white, 6-inch pot Canna—New. Cinnabar, cinnabar red; Mrs. Kate Gray, orange scarlet, over-	ch.		
5-inch pot. 3-inch pot. Hanging basket. Aspidistra—Lurida, 6-inch pot. 5-inch pot. Lurida Variegata, 6-inch pot. 5-inch pot. 5-inch pot. 5-inch pot. 5-inch pot. 5-inch pot. 8-inch pot. 3 to 4 ft. Begonia—Flowering, assorted, 4 and 5-inch pots. Rex, 4 and 5-inch pots. Rex, 4 and 5-inch pots. Bocconia—Cordata (Plume Poppy), white. Brugmansia—Knightii, double white, 6-inch pot Canna—New. Cinnabar, cinnabar red; Mrs. Kate Gray, orange scarlet, over-	75 50	us—Sprengerii, 8-inch pot	Asparagus
3-inch pot. Hanging basket. Aspidistra—Lurida, 6-inch pot. 5-inch pot. Lurida Variegata, 6-inch pot. 5-inch pot. 5-inch pot. 5-inch pot. 5-inch pot. 8-inch pot. 5-inch pot. 5-inch pot. 5-inch pot. 8-inch pot. 9-inch	40	5-inch pot	
Hanging basket Aspidistra—Lurida, 6-inch pot 5-inch pot Lurida Variegata, 6-inch pot 5-inch pot 5-inch pot 8-inch pot 5-inch pot 5-inch pot 8-inch pot 8-inch pot 8-inch pot 8-inch pot 9-inch pot 9-	25	3-inch pot	
Aspidistra—Lurida, 6-inch pot	50	Hanging basket ,	
5-inch pot	50		Aspidistra
Lurida Variegata, 6-inch pot 5-inch pot 5-inch pot 3 to 4 ft Begonia—Flowering, assorted, 4 and 5-inch pots Rex, 4 and 5-inch pots Rex, 4 and 5-inch pots Bocconia—Cordata (Plume Poppy), white Brugmansia—Knightii, double white, 6-inch pot Canna—New Cinnabar, cinnabar red; Mrs. Kate Gray, orange scarlet, over-	40	5-inch pot	
Banana—Abyssinian (Musa Ensete), 8-inch pot 3 to 4 ft. Begonia—Flowering, assorted, 4 and 5-inch pots	00	Lurida Variegata, 6-inch pot	
Begonia—Flowering, assorted, 4 and 5-inch pots Rex, 4 and 5-inch pots Bocconia—Cordata (Plume Poppy), white Brugmansia—Knightii, double white, 6-inch pot Canna—New Cinnabar, cinnabar red; Mrs. Kate Gray, orange scarlet, over-	75	5-inch pot	
Rex, 4 and 5-inch pots	0.0		
Brugmansia—Knightii, double white, 6-inch pot Canna—New Cinnabar, cinnabar red; Mrs. Kate Gray, orange scarlet, over-	50	Flowering, assorted, 4 and 5-inch pots	Begonia]
Brugmansia—Knightii, double white, 6-inch pot	50	Rex, 4 and 5-inch pots	
Canna—New	40	Cordata (Plume Poppy), white	Bocconia-
Cinnabar, cinnabar red; Mrs. Kate Gray, orange scarlet, over-	50	nsia—Knightii, double white, 6-inch pot	Brugmans
Cinnabar, cinnabar red; Mrs. Kate Gray, orange scarlet, over-	50	New	Canna—No
laid with gold; President Meyer, cherry carmine; Sam Trelease, rich scarlet, edged with yellow band.		nabar, cinnabar red; Mrs. Kate Gray, orange scarlet, overith gold; President Meyer, cherry carmine; Sam Trelease,	Cinnab laid with
Canna—Selected Varieties, per 10, \$1,50	20		
Admiral Avellan, orange scarlet; Admiral Courbet, lemon yellow, striped crimson; Alphonse Bouvier, brilliant crimson; Allemania, salmon, yellow border; Austria, canary yellow; Beaute Poitevine, bright rich crimson; Burbank, rich canary, with carmine spots; Florence Vaughan, golden yellow; Egandale, currant red; Geoffrey St. Hillaire, orange and scarlet; Italia, bright scarlet; Madam Crozy, crimson scarlet, bordered golden yellow; Miss Sarah Hill, rich carmine; Queen Charlotte, rich scarlet crimson.		niral Avellan, orange scarlet; Admiral Courbet, lemon, striped crimson; Alphonse Bouvier, brilliant crimson; Ala, salmon, yellow border; Austria, canary yellow; Beaute ine, bright rich crimson; Burbank, rich canary, with carpots; Florence Vaughan, golden yellow; Egandale, currant eoffrey St. Hillaire, orange and scarlet; Italia, bright scardam Crozy, crimson scarlet, bordered golden yellow; Miss	Admira yellow, st lemania, Poitevine mine spo red; Geof let; Mada
Carnations—Selected Varieties, 5-inch pot, per 10, \$2.00	25	ns—Selected Varieties, 5-inch pot, per 10, \$2.00	Carnation <i>s</i>
From February 1, 2-inch pot, per 10, \$1.00	15	cup, rich yellow; California Gold, bright yellow; Dr. Tevis, ; Ethel Crocker, pink; Elsie Ferguson, deep orange; E. H. dark pink; Flora Hill, white; Governor Roosevelt, deep rilliant scarlet; Grace Runyon, white, penciled with rose; t Bradford, white, edged scarlet; Harrison's White, pure Helen Dean, light pink; Iris Miller, light salmon, yellow; John Hinkle, brilliant dark crimson; Leslie Paul, rose; Lavender, light lavender; Lizzie Guilbert, bright; Mad. Albertini, delicate pink; Mayor Pingree, lemon; Morello, scarlet crimson; Mrs. Geo. M. Bradt, clear white, scarlet; Mrs. McBurney, clear salmon; Mrs. Thos. W. Lawrise pink; Prosperity, pure white, with pink mottles; Purple purple; Queen Louise, pure white; Rose Queen, pure rose;	Buttercup scarlet; E Childs, d rich brill Harriet white; I shaded ye deep ros scarlet; I yellow; M edged sca son, ceris King, pu

	Each
Chrysanthemum—4-inch pot, per 10, \$2.00	. 25
Cistus—Albicans, white, 5-inch pot	40
Coreopsis—Lanceolata, golden yellow	25
Cyperus—Alternifolius (Umbrella Plant), 5-inch pot	40
Gracilis, 5-inch pot	40
Daisy—Assorted, per 10, \$.75	10
Desmodium—Penduliflorum, rose-colored	35
Echeveria—Secunda, and Secunda glauca, per 10, \$.75	10
Eulalia—Gracillium (Japan Rush)	50
Japonica	40
Japonica Variegated	50
Japonica Zebrina	50
Fern-Adiantum Cuneatum (Maiden Hair Fern), 6-inch pot	50
5-inch pot	40
Adiantum Gracillimum, 6-inch pot	50
5-inch pot	40
Asplenium Bulbiferum (Bulb-bearing Fern), 6-inch pot	50
5-inch pot	40
Nephrolepsis Cordata Compacta (Dwarf Sword Fern),	
8-inch pot	75
6-inch pot	. 50
5-inch pot	40
Nephrolepsis Exaltata (Sword Fern), 8-inch pan	75
Nephrolepsis Exaltata Bostoniensis (Boston Sword Fern),	
10-inch pan	1 00
8-inch pan	75
6-inch pot	50
Fuchsia—In variety, single and double, 5-inch pot	25
Gaillardia—Grandiflora, brown, marked with crimson or orange	25
Gazania—Splendens, bright orange	25
Geranium —In variety, single and double, per 10, \$2.00	25
Ivy-leaved, per 10, \$2.00	25
Heliotrope—Light, dark purple, and white	25
Helianthus (Sunflower), yellow	25
Multiflorus Major, Orgyalis and Rigidus	25
Hibiscus—Crimson eye, white crimson center	40
Hollyhock—Assorted	25
Hunnemannia—Fumariæfolia (Giant Yellow Tulip Poppy)	50
Iris—German, assorted colors	40
Japanese and Variegated	40
Leonotis Leonurus—(Lion's Tail), yellow	40

	Each.
Lily of the Valley—Large clumps, per 10, \$2.00	25
Lippia Repens—Substitute for lawn grass, 4-inch clumps	25
Marguerites—White, yellow and blue	25
New Zealand Flax—(Phormium), 12x12-inch box	1 00
balled 2 to 3 ft.	75
Variegated, 12x12-inch box	1 50
balled 2 ft.	75
6-inch pot	75
Variegated Colensoi, balled 2 ft.	75
6-inch pot	75
Pampas Grass (Gynerium)—Clumps	50
Madam Randatleri, pink	75
Marabout	50
Variegated	1 00
Pandanus—Utilis (Screw Pine), 7-inch pot	$1 \ 50$
Veitchii, variegated, 7-inch pot	2 50
Pæony—Herbaceous	50
Constant Devred, bright purple; Comte de Paris, light rose;	
Formosa Alba, white; La Coquett, flesh color; Officionalis, dark	
crimson; Potsii Rosea, rose; Amabilis, light rose.	
Pæony—Herbaceous, per 10, \$2.00.	25
Delicatissima, light pink; Elegantissima, pink; Francis Ortegal,	
red; Sinensis rosea odorata, rose; Pottsii, pink; Reevesii, pink.	
Pelargonium—4 and 5-inch pots	25
Agatha, bright crimson; Beauty of Oxton, maroon; Capt.	
Raikes, fiery crimson; Dr. Masters, dark red; Duke of Albany,	
crimson maroon; Duchess of Bedford, pure white; Duchess of	
Teck, white; Embassy, white; Lord Derby, rosy magenta; Mabel,	
dark maroon; Mad. Thibaut, white; Mad. Vibert, rose; Milton,	
white; Plateau, crimson; Prince of Pelargoniums, scarlet; Princess	
Maud, carmine; Queen Victoria, vermilion; Rustic, crimson;	
Striata Elegans, rose; Variegated, rose, striped with white.	
Platycodon—Grandiflorum, blue	40
Phlox—Herbaceous, assorted	35
Plumbago—Capensis, blue	35
Capensis Alba, white	40
Primula—Vulgaris (English Primrose), per 10, \$1.00	15
Romneya—Coulteri (California Tree Poppy), 5-inch pot, 10 to 12 inch	1 00
Rudbeckia (Golden Glow), double yellow, per 10, \$2.00	25
Russelia—Elegantissima, flowers coral red	35
Ruscus Aculatus	25
Sagina—Pilifera, 4-inch clumps	25
Saxifraga—Umbrosa, blush	25
Sedum (Stone Crop), 10 varieties	25
Selaginella—Emiliana, 4-inch pot	25
Solidago—Canadensis (Golden Rod)	25
Serotina, yellow	25

	Each.
Solanum—Pseudo-capsicum (Jerusalem Cherry) 2 ft.	50
Swainsona—Grayana, pink	40
Galegifolia Alba, white	40
Strelitzia—Regina (Queen Flower), 10x10-inch box	1 00
Tritoma—Uvaria (Poker Plant), orange	25
Valeriana—Rubra, red	40
Verbena—Assorted, all colors, after February 1, per 10, \$.75	10
Violets—Large clumps, per 10, \$2.00	25
California, Marie Louise, Swanley White, Princess de Galles.	

BULBOUS AND TUBEROUS ROOTED PLANTS

	Each.
Agapanthus—Umbellatus, blue	35
Amaryllis—Belladonna, pink, per 10, \$1.50	25
Defiance, carmine, lined white	50
Formosissima (St. John's Lily), crimson scarlet	50
Johnsoni, wine red, white stripes	50
Lindeni, color varying from nearly white to dark crimson	50
Longifolia Alba, large white flowers, very fragrant	40
Lutea, golden yellow	50
Caladium—Esculentum (Elephant's Ear)	50
Calla Lily—Common, spotted, black, per 10, \$2.00	25
Italian Giant and Little Gem	40
Crinum—Amabilis, large white, pink center	75
Dahlia—Double and single, per 10, \$2.00	25
Autumn Glow, orange salmon; Bellona, salmon red; Bird of	
Passage, lilac, edged pink; Bob Ridley, scarlet, tipped white;	
Charm, peach color; Charlotte Darling, white, shaded pink; Dr.	
Boyers, scarlet, tipped white; Doodas, clear yellow; Duke of	
Rochester, golden yellow, shaded brown; Jewell, buff, shaded light	
crimson; Lady Paxton, white, bordered lilac; Queen Mab, maroon;	
White Rose, large, clear white; Gracilis Perfecta, single, rich	
scarlet; Rob Roy, single, deep scarlet.	05
Dahlia—Cactus, new, per 10, \$2.50	35
Aegis, rich cardinal scarlet; Austin Cannell, light crimson rose;	
Chas. Woodbridge, light crimson; Cinderella, royal purple; George	
Marlow, primrose yellow; Green's Gem, orange red; Hohenzol-	
lern, bronzy orange red; John H. Roach, soft yellow; Kingfisher,	
purplish crimson; Mr. Moore, deep claret; Miss Annie Nightin-	
gale, clear yellow, edged scarlet; Mrs. A. Beck, salmon red; Queen	
Wilhelmina, deep garnet; Strahlen Krone, cardinal red; Sparkler,	
glowing carmine.	

	Each.
Gladioli Per 10, \$.75	10
Cardinalis, scarlet; Colvillei, purple striped; Queen Victoria,	
salmon scarlet, feathered white. Lily—Assorted, per 10, \$2.00	25
Auratum, Album, Candidum (St. Joseph's Lily), Longi-	20
florum, Harrisii (Bermuda Lily), Rubrum.	
Montbretia Crocosmiæflora, per 10, \$1.00	15
Narcissus—Assorted, per 10, \$1.00	15
Oxalis—Buttercup, per 10, \$1.00	15
Tuberose—Italian and Pearl, per 10, \$.75	10

WATER PLANTS

	Each.
Nelumbium Speciosum (Egyptian Lotus)—Rose pink	75
Nymphea—Flava (Florida Water Lily), yellow	50
Odorata (Fragrant Water Lily)	50
Odorata Rosea (Fragrant Water Lily), rose-flowering.	7.5
Papyrus—Antiquorum (Egyptian Paper Plant)	50

CATALOGUES


The following catalogues are published, some annually, others at intervals as becomes necessary, and are mailed free to customers, as soon as issued, and to all other applicants on receipt of amount in stamps named below:—

- No. 1. Descriptive Catalogue of Fruit Trees, Small Fruits, Figs, Olives, etc., 4 cents.
- No. 2. Descriptive Catalogue of Shade and Ornamental Trees, Shrubs, Roses, Climbing Plants, etc., 6 cents.
 - No. 3. Catalogue and Price List, free.
 - No. 4. Catalogue of Phylloxera-Resisting American Grapes, free.

CALIFORNIA NURSERY COMPANY.

JOHN ROCK, MANAGER.

Niles, Cal., December 1, 1902.



INDEX

7年

FRUIT DEPARTMENT

PAGE.

PAGE.

Almonds 8	Liquorice 15
Apples, Autumn 4	Logan Berry15
Apples, Summer	Loquat11
Apples, Winter 4	Medlar 12
Apples, Woolly Aphis Proof 3	Mulberries12
Apricots	Nectarines
Asparagus	Olives
Blackberries	Opuntia Ficus
Butternut	Oranges
Caper15	Peaches, Clingstone
Carob.	Peaches, Freestone
	Pears, Autumn
Chamier	
Cherries. 5	Pears, Dwarf 5
Chestnuts	Pears, Summer 5
Crab Apples	Pears, Winter 5
Currants	Pecans 9
Dewberries	Persimmons
Distances for Planting 2	Pistachio Nut
Eleagnus15	Plums 6
Figs 8	Pomegranate
Filberts 9	Pomelo.
Gooseberries15	Prunes 6
Grapes, American	Quinces 8
Grapes, Foreign12	Raspberries
Grapes, Resistant	Remarks 1
Grapes, Grafted on Resistant14	Rhubarb15
Guava II	Rue15
Hints on Transplanting 2	Sage
Hop Roots	Service Tree (Sorbus Domestica)12
Horse Radish15	Special Notice
Jujube	Strawberries
Juneberry12	Thyme 15
Lavender 15	To Correspondents Cover
Lemons	Walnuts 0
Limes	Walnuts, Grafted 10
ORNAMENTAL I	DEPARTMENT
PAGE.	PAGE.
Abutilon 60	Almond, Flowering18, 42
Acacia18, 32	Althea42
Achania60	Amaryllis64
	Amaryllis
Achania60	Amaryllis. .64 Ampelopsis. .46 Andropagan. .33
Achania	Amaryllis

ORNAMENTAL DEPARTMENT—(Continued)

PAGE.	PAG
Apple, Flowering 18, 42	Cassia 3
Aralia 33	Casuariana3
Araucaria26	Catalpa
Arbor Vitae26	Ceanothus
Arbutus33	Cedar2
Areca49	Cedrella
Aristolochia46	Cephalatoxus
Armeria 60	Cercidiphyllum4
Arundo donax	Cestrum.
Ash	Chamæcerasus4
Asparagus60	Chamærops4
Aspidistra61	Cherry, Flowering 4
Aucuba 33	Cherry, Weeping2
Azalea33, 42	Chestnut
Azara 33	Chorizema4
Bamboo48	Choisya
Banana61	Christmas Berry 3
Beech	Chrysanthemum6
Begonia61	Cistus6
Berberries33	Clematis4
Berberry 42	Clianthus 4
Bignonia46	Climbing and Trailing Plants4
Birch19, 25	Cobea4
Blue Gum (see Eucalyptus)35	Cocos50
Bocconia61	Corchorus4
Bougainvillea46	Coreopsis6
Box33, 41	Coronilla3
Brachychiton (see Sterculia) 41	Corynocarpus
Broom 42	Corypha50
Brugmansia61	Cotoneaster
Buckeye19	Crape Myrtle 4,
Buddlea33	Cratægus35
Bulbous and Tuberous Rooted Plants64	Crinum62
Cactus Dahlia64	Cryptomeria 27
Caladium64	Cunninghamia27
California Big Tree27	Currants, Flowering43
California Evergreen Cherry34	Cyperus 62
California Fan Palm51	Cypress 27, 41
California Laurel34	Daffodil (see Narcissus)65
California Nutmeg27	Dahlia
California Wild Coffee34	Daisies 62
Calla Lily64	Daphne 35
Calycanthus42	Daphniphyllum35
Camellia34	Dasylirion5.3
Camphor Tree34	Deciduous Flowering Shrubs42
Canna61	Deciduous Ornamental Trees 16, 18
Caragana42	Deciduous Weeping Trees25
Carnation61	Decorative Bedding and Border Plants.60
Carpenteria 34	Decumeria 47
Caryopteris	Deeringea35

ORNAMENTAL DEPARTMENT-(Continued)

PAGI.	PAGE
Desmodium62	Hypericum37, 44
Deutzia43	Ipomea 47
Diosma 35	Iris62
Dogwood 43	Ivy 47
Dolichos47	Jasmine 17
Dracæna52	Jubea 51
Duranta35	Judas Tree20
Dymorpanthus19	Juniper 28
Echeveria62	Kennedya47
Elder43	Kentia 51
Eleagnus35	Laburnum20, 25
Elm16, 19, 25	Larch20
Ervthea50	Latania 51
Erythrina	Laurel 37
Escallonia	Laurestinus37, 41
Eucalyptus35	Lemonia 20
Eugenia36	Lemon Verbena 44
Eulalia62	Leonotis63
Euonymous, Evergreen36	Levistonia
Euonymous (Spindle Tree)43	Levcesteria
Evergreen Hedge Plants 41	Libocedrus29
Evergreen Trees and Shrubs32	Ligustrum37, 41
Evergreen Trees and Shrubs (Conifers)26	Lilac 44
Exochordia43	Lilies 65
Fabiana	Lily of the Valley63
Ferns	Linden 17, 20, 25
Ficus	Lippia
Filbert	Liquidamber20
Forsythia	Locust 17, 20
Fuchsia	Loquat38
Gaillardia. 62	Lycium47
Garrya 36	Magnolia, Deciduous44
Gazania62	Magnolia, Evergreen 38
Genista36	Mahonia
Geranium	Maiden Hair Tree21
Gladioli	Mandevillea47
Grevillea36	Mannettia 47
Guaya36	Maple
Habrothamnus 36	Maple, Japanese44
Hawthorn41	Marguerites63
Heath37	Melaleuca
Helianthus	Melia22
Heliotrope 62	Metinea38
Hibiscus	Metrosideros38
Holly	Mock Orange 44
Hollyhock	Montbretia
Honeysuckle 43, 47	Mountain Ash22
Horse Chestnut	Muelenbeckia 39
Hunnemannia	Mulberry22, 25
Hydrangea	Murraya
, 6	


ORNAMENTAL DEPARTMENT—(Continued)

PAGE.	PAGE
Myrtle	Redwood30
Nandina39	Retinospora30
Narcissus65	Rhododendron41
Nelumbium65	Rhodotypus45
New Zealand Flax63	Rhus4
Nolina 53	Romneya6
Nymphea	Rose Acacia45
Oak17, 22, 39	Rosemary
Olea39	Roses5-
Oleander39	Rudbeckia63
Orange40	Russelia63
Osmanthus 40	Sabal51
Oxalis65	Sagina 63
Pæony Herbaceous63	Saxifraga63
Paliurus45	Sciadopitys (see Umbrella Pine)31
Palms, Dracænas, Agaves, Yuccas, etc.49	Sedum 63
Pampas Grass63	Selaginella63
Pandanus63	Silk Vine48
Papyrus Antiquorum65	Smilax
Passion Vine47	Solanum 48, 64
Paulownia 17, 22	Solidago63
Peach Flowering22, 23	Sollya 48
Pecan23	Sorbus Domestica23
Pelargonium63	Snowball45
Pepper Tree40	Snowberry45
Persimmon23	Sophora 18, 23, 25
Phaseolus47	Spirea45
Phellodendron23	Spruce30
Phlox63	Staphylea46
Phœnix	Sterculia 23, 41
Photinia40, 45	Strelitzia64
Physianthus48	Styrax46
Pine29	Swainsonia 48, 64
Pittosporum40	Sycamore
Plane (see Sycamore)23	Taxodium21
Platycodon63	Tecoma48
Plumbago63	Texas Umbrella24
Plums, Flowering	Thorn24
Poinciaua45	Thujopsis31
Pomegranate, Flowering45	Trained Trees
Poplar17, 23, 25	Tree Paeony46
Primula 63	Tritoma64
Pritchardia51	Trumpet Vine (see Bignonia Grandi-
Privet41	flora)46
Pterocraya23	Tuberose65
Purple Fringe45	Tulip Tree 24
Pyrus45	Ulex41
Quince45	Umbrella Pine31
Raphiolepsis41	Valeriana 64
•	

ORNAMENTAL DEPARTMENT—(Continued)

PAGE.	PAGE.
Verbena64	Washingtonia51
Veronica41	Water Plants65
Viburnum41, 46	Weigelia 46
Violets64	White Fringe46
Virgilia24	Willow24, 25
Virginia Creeper (see Ampelopsis	Wistaria48
Quinquefolia	Xanthoceras
Vitex46	Yew31
Vitis48	Yucca, Dasylirions, and Molina53
Walnut 18, 24, 25	

An Sing S



DRACAENA

BAMBOO ERYTHEA EDUS

BANANA ENSETA